

BEL PE

Previous Year Paper
(Mechanical)
17 Dec, 2023 Shift 2



Test Prime

**ALL EXAMS,
ONE SUBSCRIPTION**



70,000+
Mock Tests



**Personalised
Report Card**



**Unlimited
Re-Attempt**



600+
Exam Covered



**Previous Year
Papers**



500%
Refund



ATTEMPT FREE MOCK NOW



Bharat Electronics Limited

Government of India, Ministry of Defence
A Navratna Company

Participant ID	
Participant Name	
Test Center Name	iON Digital Zone iDZ 1 Mathura Road
Test Date	17/12/2023
Test Time	12:30 PM - 2:30 PM
Subject	Probationary Engineer Mechanical

Section : General Aptitude

Q.1 Which of the following factors is most likely to influence the type of vegetation and fauna found in a particular region?

- Ans
- 1. Economic development
 - 2. Altitude
 - 3. Population density
 - 4. Political stability

Question ID : 630680508939
 Option 1 ID : 6306801989054
 Option 2 ID : 6306801989052
 Option 3 ID : 6306801989053
 Option 4 ID : 6306801989055
 Status : Answered
 Chosen Option : 2

Q.2 Which of the following is a key characteristic of microeconomics?

- Ans
- 1. Analysis of government fiscal policies
 - 2. Examination of aggregate economic indicators
 - 3. Focus on individual economic units
 - 4. Study of the overall economy

Question ID : 630680508933
 Option 1 ID : 6306801989030
 Option 2 ID : 6306801989031
 Option 3 ID : 6306801989029
 Option 4 ID : 6306801989028
 Status : Answered
 Chosen Option : 3

Q.3 Which of the following is a macronutrient that serves as the body's primary source of energy?

- Ans 1. Carbohydrates
 2. Minerals
 3. Vitamins
 4. Proteins

Question ID : 630680508944
 Option 1 ID : 6306801989075
 Option 2 ID : 6306801989073
 Option 3 ID : 6306801989072
 Option 4 ID : 6306801989074
 Status : Answered
 Chosen Option : 1

Q.4 Which of the following is the process by which organisms break down food to release energy?

- Ans 1. Nitrogen fixation
 2. Photosynthesis
 3. Cellular respiration
 4. Fermentation

Question ID : 630680508943
 Option 1 ID : 6306801989071
 Option 2 ID : 6306801989069
 Option 3 ID : 6306801989070
 Option 4 ID : 6306801989068
 Status : Answered
 Chosen Option : 3

Q.5 Which key personality known as "Iron Man of India" played a significant role in the integration of princely states into the Indian Union after independence?

- Ans 1. Mahatma Gandhi
 2. Subhas Chandra Bose
 3. Sardar Vallabhbhai Patel
 4. Jawaharlal Nehru

Question ID : 630680508935
 Option 1 ID : 6306801989036
 Option 2 ID : 6306801989037
 Option 3 ID : 6306801989038
 Option 4 ID : 6306801989039
 Status : Answered
 Chosen Option : 3

Q.6 What was the capital city of the Mauryan Empire during its peak under Ashoka's rule?

- Ans
- 1. Kalsi
 - 2. Viratnagar
 - 3. Sanchi
 - 4. Pataliputra

Question ID : 630680508936
Option 1 ID : 6306801989043
Option 2 ID : 6306801989041
Option 3 ID : 6306801989042
Option 4 ID : 6306801989040
Status : Answered
Chosen Option : 3

Q.7 What was the primary purpose of the Mauryan emperor Ashoka's Rock Edicts?

- Ans
- 1. To showcase architectural achievements
 - 2. To establish trade routes
 - 3. To propagate Buddhist principles and moral values
 - 4. To record military victories

Question ID : 630680508937
Option 1 ID : 6306801989047
Option 2 ID : 6306801989046
Option 3 ID : 6306801989045
Option 4 ID : 6306801989044
Status : Answered
Chosen Option : 3

Q.8 Which Indian sports personality was awarded the Major Dhyan Chand Khel Ratna Award, the highest sporting honour in India, in the year 2021?

- Ans
- 1. P. V. Sindhu
 - 2. Rohit Sharma
 - 3. Neeraj Chopra
 - 4. Virat Kohli

Question ID : 630680508938
Option 1 ID : 6306801989049
Option 2 ID : 6306801989051
Option 3 ID : 6306801989050
Option 4 ID : 6306801989048
Status : Answered
Chosen Option : 4

Q.9 Which of the following is a Fundamental Right guaranteed by the Indian Constitution?

- Ans
- 1. Right to Strike
 - 2. Right to Education
 - 3. Right to Property
 - 4. Right to Taxation

Question ID : 630680508941
Option 1 ID : 6306801989062
Option 2 ID : 6306801989060
Option 3 ID : 6306801989061
Option 4 ID : 6306801989063
Status : Answered
Chosen Option : 2

Q.10 Which of the following world organization is responsible for publishing the Human Capital Index (HCI)?

- Ans
- 1. International Monetary Fund (IMF)
 - 2. World Bank
 - 3. World Economic Forum
 - 4. United Nations

Question ID : 630680508934
Option 1 ID : 6306801989032
Option 2 ID : 6306801989035
Option 3 ID : 6306801989034
Option 4 ID : 6306801989033
Status : Not Answered
Chosen Option : --

Q.11 Which of the following is the head of the executive council of the Indian government?

- Ans
- 1. The Vice President
 - 2. The Speaker of the Lok Sabha
 - 3. The Prime Minister
 - 4. The President

Question ID : 630680508942
Option 1 ID : 6306801989066
Option 2 ID : 6306801989067
Option 3 ID : 6306801989065
Option 4 ID : 6306801989064
Status : Answered
Chosen Option : 4

Q.12 Which of the following sectors is primarily responsible for the generation and distribution of electrical power?

- Ans
- 1. Trade and Industry
 - 2. Infrastructure
 - 3. Agriculture
 - 4. Power and Energy

Question ID : 630680508940
Option 1 ID : 6306801989059
Option 2 ID : 6306801989057
Option 3 ID : 6306801989056
Option 4 ID : 6306801989058
Status : Answered
Chosen Option : 4

Section : Reasoning

Q.1 Neelam says, "Shreya's mother is the wife of my father." How is Neelam's father related to Shreya?

- Ans
- 1. Father
 - 2. Brother
 - 3. Son
 - 4. Husband

Question ID : 630680508950
Option 1 ID : 6306801989098
Option 2 ID : 6306801989097
Option 3 ID : 6306801989099
Option 4 ID : 6306801989096
Status : Answered
Chosen Option : 1

Q.2 Four letter-clusters have been given, out of which three are alike in some manner and one is different. Select the odd letter-cluster.

- Ans
- 1. PM
 - 2. RU
 - 3. LI
 - 4. ZW

Question ID : 630680508952
Option 1 ID : 6306801989104
Option 2 ID : 6306801989105
Option 3 ID : 6306801989106
Option 4 ID : 6306801989107
Status : Answered
Chosen Option : 1

Q.3 If B denotes 'subtraction', C denotes 'addition', and D denotes 'division', then what will be the value of the following equation?
 $10 D 2 B 5 C 3 = ?$

- Ans
- 1. 1
 - 2. 4
 - 3. 2
 - 4. 3

Question ID : 630680508955
 Option 1 ID : 6306801989119
 Option 2 ID : 6306801989116
 Option 3 ID : 6306801989118
 Option 4 ID : 6306801989117
 Status : Answered
 Chosen Option : 4

Q.4 Which of the following numbers will replace the question mark (?) in the given series?
 32, 48, 64, 80, ?, 112

- Ans
- 1. 92
 - 2. 96
 - 3. 94
 - 4. 95

Question ID : 630680508953
 Option 1 ID : 6306801989108
 Option 2 ID : 6306801989109
 Option 3 ID : 6306801989110
 Option 4 ID : 6306801989111
 Status : Answered
 Chosen Option : 2

Q.5 Which two numbers should be interchanged to make the given equation correct?
 $20 \div 2 \times 4 + 7 - 3 = 8$

- Ans
- 1. 4 and 3
 - 2. 8 and 20
 - 3. 7 and 4
 - 4. 4 and 2

Question ID : 630680508956
 Option 1 ID : 6306801989121
 Option 2 ID : 6306801989122
 Option 3 ID : 6306801989123
 Option 4 ID : 6306801989120
 Status : Answered
 Chosen Option : 2

Q.6 Which of the following numbers will replace the question mark (?) in the given series?
144, 120, 96, 72, ?, 24

- Ans
- 1. 44
 - 2. 48
 - 3. 51
 - 4. 47

Question ID : 630680508954
 Option 1 ID : 6306801989115
 Option 2 ID : 6306801989114
 Option 3 ID : 6306801989112
 Option 4 ID : 6306801989113
 Status : Answered
 Chosen Option : 2

Q.7 Six friends M, N, O, P, Q, and R are sitting around a circular table facing the centre. R is sitting between O and N. M is sitting to the immediate left of Q. P sits third to the left of N. N does not sit adjacent to Q. Who is sitting to the immediate left of P?

- Ans
- 1. M
 - 2. Q
 - 3. R
 - 4. O

Question ID : 630680508945
 Option 1 ID : 6306801989077
 Option 2 ID : 6306801989076
 Option 3 ID : 6306801989078
 Option 4 ID : 6306801989079
 Status : Answered
 Chosen Option : 2

Q.8 Select the option that is related to the third word in the same way as the second word is related to the first word.
Oceanography : Oceans :: Herpetology : ?

- Ans
- 1. Snakes
 - 2. Dogs
 - 3. Cakes
 - 4. Stones

Question ID : 630680508951
 Option 1 ID : 6306801989101
 Option 2 ID : 6306801989100
 Option 3 ID : 6306801989103
 Option 4 ID : 6306801989102
 Status : Answered
 Chosen Option : 1

Q.9 Which of the following letter clusters will replace the question mark (?) in the given series?
GKE, HLF, ?, JNH, KOI

- Ans
- 1. IMH
 - 2. ING
 - 3. IMG
 - 4. HMG

Question ID : 630680508948
Option 1 ID : 6306801989091
Option 2 ID : 6306801989089
Option 3 ID : 6306801989088
Option 4 ID : 6306801989090
Status : Answered
Chosen Option : 3

Q.10 In a storage room, there are 60 boxes stacked one on top of the other. If a box is at the 8th position from the bottom, what will be its position from the top?

- Ans
- 1. 54
 - 2. 51
 - 3. 52
 - 4. 53

Question ID : 630680508946
Option 1 ID : 6306801989083
Option 2 ID : 6306801989081
Option 3 ID : 6306801989080
Option 4 ID : 6306801989082
Status : Answered
Chosen Option : 4

Q.11 In a certain code language, if ELEPHANT is coded as 5M5Q11OU, TIGER is coded as U9H5S, then what will LION be coded as?

- Ans
- 1. M915P
 - 2. M915O
 - 3. M9PO
 - 4. M915Q

Question ID : 630680508949
Option 1 ID : 6306801989093
Option 2 ID : 6306801989095
Option 3 ID : 6306801989092
Option 4 ID : 6306801989094
Status : Answered
Chosen Option : 2

Q.12 Select the option that is related to the third number in the same way as the second number is related to the first number.
41 : 1640 :: 37 : ?

- Ans
- 1. 1323
 - 2. 1332
 - 3. 1233
 - 4. 1232

Question ID : 630680508957
 Option 1 ID : 6306801989124
 Option 2 ID : 6306801989125
 Option 3 ID : 6306801989126
 Option 4 ID : 6306801989127
 Status : Answered
 Chosen Option : 2

Q.13 Three Statements are given followed by two conclusions numbered I and II. Assuming the statements to be true, even if they seem to be at variance with commonly known facts, decide which of the conclusions logically follow(s) from the statements.

Statement I: All buses are cars.
 Statement II: All cars are vehicles.
 Statement III: Some vehicles are not bicycles.

Conclusion I: Some vehicles are not cars.
 Conclusion II: Some vehicles are bicycles.

- Ans
- 1. Both conclusions I and II follow
 - 2. Neither conclusion I nor II follows
 - 3. Only conclusion II follows
 - 4. Only conclusion I follows

Question ID : 630680508947
 Option 1 ID : 6306801989086
 Option 2 ID : 6306801989087
 Option 3 ID : 6306801989085
 Option 4 ID : 6306801989084
 Status : Answered
 Chosen Option : 2

Section : Question based on Mechanical Engineering

Q.1 Which of the following sintering mechanisms primarily involves the migration of vacancies from the neck region to the particle surfaces?

- Ans
- 1. Evaporation-condensation mechanism
 - 2. Viscous flow sintering
 - 3. Diffusion sintering
 - 4. Surface tension-driven rearrangement

Question ID : 630680509042
 Option 1 ID : 6306801989466
 Option 2 ID : 6306801989464
 Option 3 ID : 6306801989465
 Option 4 ID : 6306801989467
 Status : Answered
 Chosen Option : 3

Q.2 In the context of the virtual work principle in continuum mechanics, which of the following statements is true about a system in equilibrium?

- Ans
- 1. Neither conservative nor non-conservative forces do virtual work.
 - 2. Only non-conservative forces do virtual work.
 - 3. Both conservative and non-conservative forces can do virtual work.
 - 4. Only conservative forces do virtual work.

Question ID : 630680508961
Option 1 ID : 6306801989140
Option 2 ID : 6306801989142
Option 3 ID : 6306801989141
Option 4 ID : 6306801989143
Status : Answered
Chosen Option : 4

Q.3 Which type of gear is used to transmit motion between non-coplanar, non-intersecting, and non-parallel shafts?

- Ans
- 1. Skew gear
 - 2. Rack and pinion gear
 - 3. Crown gear
 - 4. Herringbone gear

Question ID : 630680508982
Option 1 ID : 6306801989227
Option 2 ID : 6306801989225
Option 3 ID : 6306801989224
Option 4 ID : 6306801989226
Status : Answered
Chosen Option : 2

Q.4 Surge in centrifugal compressors is a phenomenon that can occur when:

- Ans
- 1. The flow rate of the gas is increased beyond the maximum design flow rate
 - 2. The pressure of the incoming gas is decreased beyond a set value
 - 3. The temperature of the incoming gas is increased beyond a threshold
 - 4. The flow rate of the gas is reduced below a critical value

Question ID : 630680509026
Option 1 ID : 6306801989403
Option 2 ID : 6306801989400
Option 3 ID : 6306801989402
Option 4 ID : 6306801989401
Status : Answered
Chosen Option : 1

Q.5 Identify one of the reciprocating sliding contact bearing motion elements?

Ans 1. Valve stem

2. Rocker arm

3. Piston pins

4. Crankpins

Question ID : 630680508999

Option 1 ID : 6306801989292

Option 2 ID : 6306801989294

Option 3 ID : 6306801989295

Option 4 ID : 6306801989293

Status : Answered

Chosen Option : 1

Q.6 Consider a system subjected to an external force F and an inertia (pseudo) force F_i . The essence of D'Alembert's principle is best captured by which of the following statements?

Ans 1. The system is in equilibrium when $F = F_i$

2. The system is in dynamic equilibrium when $F + F_i = 0$

3.

The difference of the internal force and the inertia force on a system is always zero.

4.

The inertia force acts to oppose the action of the external force.

Question ID : 630680508963

Option 1 ID : 6306801989148

Option 2 ID : 6306801989151

Option 3 ID : 6306801989149

Option 4 ID : 6306801989150

Status : Answered

Chosen Option : 2

Q.7 In a four-bar linkage, the Grashof's criterion states that for at least one link to be capable of making a complete revolution with respect to its adjacent link, which condition must be met? (s - length of the shortest bar, l - length of the longest bar and p, q - lengths of intermediate bar)

Ans 1. $s + l \leq p + q$

2. $s \times l \leq p \times q$

3. $s \times l \geq p \times q$

4. $s + l \geq p + q$

Question ID : 630680508976

Option 1 ID : 6306801989202

Option 2 ID : 6306801989200

Option 3 ID : 6306801989203

Option 4 ID : 6306801989201

Status : Answered

Chosen Option : 1

Q.8 How does increasing the thermal conductivity of a fin material affect its overall heat transfer performance?

- Ans 1. Increases heat transfer rate
 2. Decreases heat transfer rate
 3. No effect on heat transfer rate
 4. Causes instability in heat transfer

Question ID : 630680509010
Option 1 ID : 6306801989338
Option 2 ID : 6306801989337
Option 3 ID : 6306801989339
Option 4 ID : 6306801989336
Status : Answered
Chosen Option : 1

Q.9 In a multi-plate friction clutch with multiple discs, if the axial force remains the same but the number of pairs of contact surfaces increases, the torque capacity will:

- Ans 1. Increase
 2. remain unchanged
 3. become unpredictable
 4. decrease

Question ID : 630680508997
Option 1 ID : 6306801989285
Option 2 ID : 6306801989287
Option 3 ID : 6306801989286
Option 4 ID : 6306801989284
Status : Answered
Chosen Option : 1

Q.10 For real gases, the Van der Waals equation of state introduces correction factors for both the volume and pressure of the gas. The correction for volume is due to:

- Ans 1. elastic collisions of gas molecules.
 2. finite volume of gas molecules.
 3. gravitational pull-on gas molecules.
 4. electrostatic forces between gas molecules.

Question ID : 630680509017
Option 1 ID : 6306801989366
Option 2 ID : 6306801989367
Option 3 ID : 6306801989365
Option 4 ID : 6306801989364
Status : Answered
Chosen Option : 2

Q.11 The instantaneous center of zero velocity for a moving rigid body in planar motion:

- Ans 1. is a point about which the body seems to rotate at that instant.
 2. always lies outside the body.
 3. represents the average velocity of all points on the body.
 4. always lies on the body.

Question ID : 630680508977
 Option 1 ID : 6306801989205
 Option 2 ID : 6306801989206
 Option 3 ID : 6306801989204
 Option 4 ID : 6306801989207
 Status : Answered
 Chosen Option : 1

Q.12 In the design of riveted joints, what does the term "efficiency of the joint" typically refer to?

- Ans 1. Ratio of the strength of the riveted joint to the strength of an unriveted plate
 2. Ratio of the total strength of all rivets to the strength of the plate
 3. Ratio of the maximum load-bearing capacity to the weight of the rivet
 4. Ratio of the tensile strength to the shear strength of the rivet material

Question ID : 630680508992
 Option 1 ID : 6306801989266
 Option 2 ID : 6306801989267
 Option 3 ID : 6306801989264
 Option 4 ID : 6306801989265
 Status : Answered
 Chosen Option : 1

Q.13 If you've sectioned a truss and have three unknown member forces, which of the following sets of equations would you most likely NOT use to find all of them?

- Ans 1. $\sum F_x = 0$, $\sum F_y = 0$ and $\sum F_z = 0$
 2. $\sum F_x = 0$, $\sum F_y = 0$ and $\sum M_C = 0$
 3. $\sum F_x = 0$, $\sum F_y = 0$ and $\sum M_A = 0$
 4. $\sum F_x = 0$, $\sum F_y = 0$ and $\sum M_B = 0$

Question ID : 630680508960
 Option 1 ID : 6306801989136
 Option 2 ID : 6306801989139
 Option 3 ID : 6306801989137
 Option 4 ID : 6306801989138
 Status : Answered
 Chosen Option : 1

Q.14 A column with both ends pinned (hinged) has an effective length factor (K) of:

- Ans
- 1. $2L$
 - 2. $0.7L$
 - 3. $0.5L$
 - 4. L

Question ID : 630680508972
Option 1 ID : 6306801989187
Option 2 ID : 6306801989185
Option 3 ID : 6306801989184
Option 4 ID : 6306801989186
Status : Answered
Chosen Option : 4

Q.15 For a given column material and cross-sectional shape, if the length of the column is doubled, the crippling load

- Ans
- 1. is reduced to one-fourth.
 - 2. is halved.
 - 3. is doubled.
 - 4. remains the same.

Question ID : 630680508973
Option 1 ID : 6306801989189
Option 2 ID : 6306801989188
Option 3 ID : 6306801989190
Option 4 ID : 6306801989191
Status : Answered
Chosen Option : 1

Q.16 When designing a shaft for fluctuating loads, the primary consideration to prevent fatigue failure is:

- Ans
- 1. Ultimate tensile strength
 - 2. Endurance limit
 - 3. Rigidity
 - 4. Yield point

Question ID : 630680508993
Option 1 ID : 6306801989271
Option 2 ID : 6306801989269
Option 3 ID : 6306801989270
Option 4 ID : 6306801989268
Status : Answered
Chosen Option : 2

Q.17 In which of the following brake systems is the braking action achieved by storing the kinetic energy of the vehicle that can later be reused?

- Ans 1. Regenerative brake
 2. Band brake
 3. Drum brake
 4. Disc brake

Question ID : 630680509001
 Option 1 ID : 6306801989303
 Option 2 ID : 6306801989300
 Option 3 ID : 6306801989301
 Option 4 ID : 6306801989302
 Status : Answered
 Chosen Option : 1

Q.18 For dynamic loads, which of the following welded joint types is preferable due to its superior fatigue resistance?

- Ans 1. Spot weld
 2. Fillet weld
 3. Butt weld
 4. Seam weld

Question ID : 630680508991
 Option 1 ID : 6306801989261
 Option 2 ID : 6306801989263
 Option 3 ID : 6306801989260
 Option 4 ID : 6306801989262
 Status : Answered
 Chosen Option : 4

Q.19 In the Diesel cycle, if both the compression ratio (r) and the cut-off ratio (r_c) are increased while keeping all other parameters constant, what happens to the cycle's thermal efficiency?

- Ans 1. Increases
 2. Decreases
 3. Remains the same
 4. Cannot be determined with the given information

Question ID : 630680509028
 Option 1 ID : 6306801989409
 Option 2 ID : 6306801989410
 Option 3 ID : 6306801989408
 Option 4 ID : 6306801989411
 Status : Answered
 Chosen Option : 4

Q.20 The Isochronous governor has a characteristics curve which:

- Ans
- 1. is a horizontal Zig-zagline
 - 2. has a continuous slope
 - 3. passes through the origin
 - 4. is a vertical straight line

Question ID : 630680508984
Option 1 ID : 6306801989234
Option 2 ID : 6306801989233
Option 3 ID : 6306801989232
Option 4 ID : 6306801989235
Status : Answered
Chosen Option : 3

Q.21 A system undergoes a cyclic process and returns to its initial state. Which of the following statements is true regarding this process?

- Ans
- 1. The system does not exchange heat with the surroundings.
 - 2. The change in internal energy of the system is zero.
 - 3. The system has reached absolute zero temperature.
 - 4. The work done by the system is zero.

Question ID : 630680509016
Option 1 ID : 6306801989361
Option 2 ID : 6306801989362
Option 3 ID : 6306801989363
Option 4 ID : 6306801989360
Status : Answered
Chosen Option : 2

Q.22 A material has a modulus of elasticity (Young's modulus) of ' E ' and a bulk modulus ' K '. Which of the following relationships between ' E ' and ' K ' is true for an isotropic material with Poisson's ratio ' ν '?

- Ans
- 1. $E = 3K(1 - 2\nu)$
 - 2. $E = 3K(1 + \nu)$
 - 3. $E = K(1 - \nu)$
 - 4. $E = 2K(1 + \nu)$

Question ID : 630680508965
Option 1 ID : 6306801989157
Option 2 ID : 6306801989159
Option 3 ID : 6306801989158
Option 4 ID : 6306801989156
Status : Answered
Chosen Option : 1

Q.23 Which of the following is an output of a typical MRP system?

- Ans
- 1. Service parts requirements
 - 2. Bill of material
 - 3. Inventory status file
 - 4. Planned order schedule

Question ID : 630680509049
Option 1 ID : 6306801989494
Option 2 ID : 6306801989492
Option 3 ID : 6306801989495
Option 4 ID : 6306801989493
Status : Answered
Chosen Option : 1

Q.24 Which phase in steel is magnetic and has a body-centred cubic (BCC) crystal structure?

- Ans
- 1. Cementite
 - 2. Austenite
 - 3. Pearlite
 - 4. Ferrite

Question ID : 630680509037
Option 1 ID : 6306801989444
Option 2 ID : 6306801989445
Option 3 ID : 6306801989446
Option 4 ID : 6306801989447
Status : Answered
Chosen Option : 4

Q.25 If the lower deviation of a hole is zero and the minimum limit of hole size is the basic size, what type of shaft is it?

- Ans
- 1. Shaft Basis System
 - 2. Basic Hole
 - 3. Hole Basis System
 - 4. Basic Shaft

Question ID : 630680509046
Option 1 ID : 6306801989480
Option 2 ID : 6306801989482
Option 3 ID : 6306801989481
Option 4 ID : 6306801989483
Status : Answered
Chosen Option : 3

Q.26 When analyzing the acceleration of a point in a rotating link using the relative acceleration equation, which component is NOT directly considered?

- Ans
- 1. Coriolis acceleration
 - 2. Tangential acceleration
 - 3. Centripetal acceleration
 - 4. Gravitational acceleration

Question ID : 630680508978
 Option 1 ID : 6306801989208
 Option 2 ID : 6306801989210
 Option 3 ID : 6306801989209
 Option 4 ID : 6306801989211
 Status : Answered
 Chosen Option : 4

Q.27 The Dittus-Boelter equation, used for calculating the Nusselt number for turbulent flow in tubes, is given by $N_u = 0.023(Re)^m(Pr)^n$. For heating of fluids (where fluid temperature increases along the flow direction), what are the values of m and n respectively?

- Ans
- 1. 0.7, 0.3
 - 2. 0.4, 0.6
 - 3. 0.3, 0.7
 - 4. 0.8, 0.3

Question ID : 630680509015
 Option 1 ID : 6306801989358
 Option 2 ID : 6306801989359
 Option 3 ID : 6306801989357
 Option 4 ID : 6306801989356
 Status : Answered
 Chosen Option : 4

Q.28 In an isochoric process (constant volume), what is the relationship between heat transfer Q and the change in internal energy ΔU ?

- Ans
- 1. $Q > \Delta U$
 - 2. $Q = 0$
 - 3. $Q < \Delta U$
 - 4. $Q = \Delta U$

Question ID : 630680509022
 Option 1 ID : 6306801989387
 Option 2 ID : 6306801989384
 Option 3 ID : 6306801989386
 Option 4 ID : 6306801989385
 Status : Answered
 Chosen Option : 4

Q.29 The velocity ratio of which gear train can be determined by methods like tabular method and algebraic method?

- Ans
- 1. Simple gear train
 - 2. Compound gear train
 - 3. Epicyclic gear train
 - 4. Reverted gear train

Question ID : 630680508983
 Option 1 ID : 6306801989230
 Option 2 ID : 6306801989231
 Option 3 ID : 6306801989228
 Option 4 ID : 6306801989229
 Status : Answered
 Chosen Option : 1

Q.30 The Vickers Hardness Test uses a diamond indenter with a shape of:

- Ans
- 1. Triangle pyramid
 - 2. Hexagonal pyramid
 - 3. Square pyramid
 - 4. Rectangular pyramid

Question ID : 630680508975
 Option 1 ID : 6306801989197
 Option 2 ID : 6306801989199
 Option 3 ID : 6306801989196
 Option 4 ID : 6306801989198
 Status : Answered
 Chosen Option : 3

Q.31 If two cylindrical shafts are made of the same material and have the same length, but one shaft has twice the diameter of the other, by what factor is the torsional stiffness of the larger shaft greater than the smaller one?

- Ans
- 1. 4
 - 2. 16
 - 3. 2
 - 4. 8

Question ID : 630680508970
 Option 1 ID : 6306801989177
 Option 2 ID : 6306801989179
 Option 3 ID : 6306801989176
 Option 4 ID : 6306801989178
 Status : Answered
 Chosen Option : 2

Q.32 In the Box-Jenkins (ARIMA) forecasting model, what does the term 'I' stand for?

- Ans
- 1. Iteration
 - 2. Integrated
 - 3. Intrinsic
 - 4. Interval

Question ID : 630680509048
 Option 1 ID : 6306801989491
 Option 2 ID : 6306801989490
 Option 3 ID : 6306801989488
 Option 4 ID : 6306801989489
 Status : Answered
 Chosen Option : 2

Q.33 Which of the following best describes an isobaric process in a closed system?

- Ans
- 1. The temperature of the system remains constant.
 - 2. The entropy of the system remains constant.
 - 3. The pressure of the system remains constant.
 - 4. The volume of the system remains constant.

Question ID : 630680509019
 Option 1 ID : 6306801989374
 Option 2 ID : 6306801989373
 Option 3 ID : 6306801989372
 Option 4 ID : 6306801989375
 Status : Answered
 Chosen Option : 3

Q.34 The train value $\frac{N_2}{N_1} = \frac{T_1}{T_2}$ is associated to:

- Ans
- 1. Compound gear train
 - 2. Simple gear train
 - 3. Reverted gear train
 - 4. Epicyclic gear train

Question ID : 630680508980
 Option 1 ID : 6306801989219
 Option 2 ID : 6306801989218
 Option 3 ID : 6306801989216
 Option 4 ID : 6306801989217
 Status : Answered
 Chosen Option : 2

Q.35 Which of the following is NOT a valid assumption while analyzing bending stresses in beams using the Euler-Bernoulli beam theory?

- Ans
- 1. The beam is subjected to axial stresses only.
 - 2. The material is isotropic.
 - 3. The stress-strain relationship is linear.
 - 4. Plane sections before bending remain plane after bending.

Question ID : 630680508969
Option 1 ID : 6306801989173
Option 2 ID : 6306801989172
Option 3 ID : 6306801989174
Option 4 ID : 6306801989175
Status : Answered
Chosen Option : 4

Q.36 A free-body diagram is a representation that:

- Ans
- 1. Depicts the motion trajectory of a body.
 - 2. Shows only the applied forces on a body.
 - 3. Illustrates all forces acting on a body including gravitational force.
 - 4. Displays only the internal forces in a system.

Question ID : 630680508962
Option 1 ID : 6306801989144
Option 2 ID : 6306801989147
Option 3 ID : 6306801989146
Option 4 ID : 6306801989145
Status : Answered
Chosen Option : 3

Q.37 In a rotational flow of an incompressible fluid, which component of the acceleration is always zero?

- Ans
- 1. Centripetal acceleration
 - 2. Tangential acceleration
 - 3. Convective acceleration
 - 4. Radial acceleration

Question ID : 630680509006
Option 1 ID : 6306801989322
Option 2 ID : 6306801989321
Option 3 ID : 6306801989320
Option 4 ID : 6306801989323
Status : Answered
Chosen Option : 3

Q.38 In the dynamics of machines, unbalanced forces due to reciprocating masses can mostly lead to:

- Ans
- 1. Vibrations
 - 2. Torque variation
 - 3. Reduced angular momentum
 - 4. Centrifugal force

Question ID : 630680508981
Option 1 ID : 6306801989221
Option 2 ID : 6306801989220
Option 3 ID : 6306801989223
Option 4 ID : 6306801989222
Status : Answered
Chosen Option : 2

Q.39 For a given material and shaft geometry, which factor primarily affects the torsional stiffness?

- Ans
- 1. Yield Strength
 - 2. Modulus of Elasticity
 - 3. Ultimate Tensile Strength
 - 4. Modulus of Rigidity

Question ID : 630680508971
Option 1 ID : 6306801989183
Option 2 ID : 6306801989181
Option 3 ID : 6306801989182
Option 4 ID : 6306801989180
Status : Answered
Chosen Option : 4

Q.40 In a positively skewed distribution:

- Ans
- 1. The mode is always greater than the median.
 - 2. The mean is always greater than the mode.
 - 3. The median is always equal to the mode.
 - 4. The mode is the highest value among mean, median, and mode.

Question ID : 630680509057
Option 1 ID : 6306801989526
Option 2 ID : 6306801989527
Option 3 ID : 6306801989525
Option 4 ID : 6306801989524
Status : Answered
Chosen Option : 2

Q.41 Which of the following methods of forecasting adjusts forecasts for both linear trend and seasonality effects using a third smoothing parameter?

- Ans
- 1. Moving Averages
 - 2. Delphi Method
 - 3. Sectional smoothing
 - 4. Winter's Exponential Smoothing

Question ID : 630680509053
Option 1 ID : 6306801989508
Option 2 ID : 6306801989509
Option 3 ID : 6306801989510
Option 4 ID : 6306801989511
Status : Answered
Chosen Option : 3

Q.42 The Grashof number (Gr) is used in natural convection problems and relates which of the following forces?

- Ans
- 1. Buoyancy to viscous forces
 - 2. Surface tension to inertial forces
 - 3. Inertial to viscous forces
 - 4. Viscous to elastic forces

Question ID : 630680509004
Option 1 ID : 6306801989314
Option 2 ID : 6306801989313
Option 3 ID : 6306801989312
Option 4 ID : 6306801989315
Status : Answered
Chosen Option : 1

Q.43 When designing for dynamic loading, the Goodman line is used to predict failure by accounting for both mean and alternating stresses. The Goodman line can be most accurately described as:

- Ans
- 1. A horizontal line in the mean stress versus alternating stress plot
 - 2. A parabolic curve in the mean stress versus alternating stress plot
 - 3. A vertical line in the mean stress versus alternating stress plot
 - 4. A linearly decreasing line in the mean stress versus alternating stress plot

Question ID : 630680508988
Option 1 ID : 6306801989248
Option 2 ID : 6306801989249
Option 3 ID : 6306801989251
Option 4 ID : 6306801989250
Status : Answered
Chosen Option : 4

Q.44 Which of the following factors DOES NOT influence the level of safety stock in an inventory control system?

- Ans
- 1. Lead time variability
 - 2. Supplier reliability
 - 3. Demand variability
 - 4. Inventory turnover ratio

Question ID : 630680509050
Option 1 ID : 6306801989498
Option 2 ID : 6306801989497
Option 3 ID : 6306801989499
Option 4 ID : 6306801989496
Status : Answered
Chosen Option : 4

Q.45 One of the main drawbacks of a centrifugal clutch is:

- Ans
- 1. it is not specialized to perform shockless acceleration
 - 2. it doesn't have the feature of greater engagement
 - 3. it cannot create high torque
 - 4. it requires a complex electronic control system

Question ID : 630680509000
Option 1 ID : 6306801989296
Option 2 ID : 6306801989299
Option 3 ID : 6306801989298
Option 4 ID : 6306801989297
Status : Answered
Chosen Option : 1

Q.46 Which type of casting is best suited for producing intricate designs and detailed patterns in mass production?

- Ans
- 1. Sand casting
 - 2. Centrifugal casting
 - 3. Die casting
 - 4. Investment casting

Question ID : 630680509035
Option 1 ID : 6306801989438
Option 2 ID : 6306801989439
Option 3 ID : 6306801989436
Option 4 ID : 6306801989437
Status : Answered
Chosen Option : 3

Q.47 For a riveted joint where the primary concern is shearing of rivets, which of the following rivet material properties is the most critical?

- Ans
- 1. Fatigue strength
 - 2. Tensile strength
 - 3. Creep resistance
 - 4. Shear strength

Question ID : 630680508989
 Option 1 ID : 6306801989254
 Option 2 ID : 6306801989252
 Option 3 ID : 6306801989255
 Option 4 ID : 6306801989253
 Status : Answered
 Chosen Option : 4

Q.48 In the context of fins, the "Fin Efficiency" is defined as the ratio of:

- Ans
- 1. Actual heat transfer from the fin to the maximum possible heat transfer.
 - 2. Heat transfer from the fin to the heat transfer from the base
 - 3. Heat transfer from the fin tip to the heat transfer from the base.
 - 4. Heat transfer from the base to the ambient temperature.

Question ID : 630680509011
 Option 1 ID : 6306801989340
 Option 2 ID : 6306801989342
 Option 3 ID : 6306801989341
 Option 4 ID : 6306801989343
 Status : Answered
 Chosen Option : 1

Q.49 Given a data set with an odd number of observations that is symmetrically distributed, which of the following statements is true?

- Ans
- 1. The mean is always greater than the median.
 - 2. The mean, median, and mode are all equal.
 - 3. The mode is always greater than the median.
 - 4. The median is always at the midpoint of the range.

Question ID : 630680509055
 Option 1 ID : 6306801989517
 Option 2 ID : 6306801989516
 Option 3 ID : 6306801989518
 Option 4 ID : 6306801989519
 Status : Answered
 Chosen Option : 4

Q.50 In laminar flow over a flat plate, how does the thermal boundary layer thickness, δ_t , vary with respect to the distance, x , from the leading edge?

- Ans
- 1. $\delta_t \propto 1/\sqrt{x}$
 - 2. $\delta_t \propto x$
 - 3. $\delta_t \propto x^2$
 - 4. $\delta_t \propto \sqrt{x}$

Question ID : 630680509014
 Option 1 ID : 6306801989354
 Option 2 ID : 6306801989352
 Option 3 ID : 6306801989355
 Option 4 ID : 6306801989353
 Status : Answered
 Chosen Option : 4

Q.51 Under which of the following conditions does a real gas behave most like an ideal gas?

- Ans
- 1. Low pressure and low temperature
 - 2. High pressure and low temperature
 - 3. High pressure and high temperature
 - 4. Low pressure and high temperature

Question ID : 630680509021
 Option 1 ID : 6306801989382
 Option 2 ID : 6306801989380
 Option 3 ID : 6306801989381
 Option 4 ID : 6306801989383
 Status : Answered
 Chosen Option : 4

Q.52 One way to reduce the peak pressures in a Diesel engine (without altering the overall compression ratio) is to:

- Ans
- 1. Increase the cut-off ratio.
 - 2. Increase the time of injection.
 - 3. Introduce the fuel earlier in the compression process.
 - 4. Reduce the fuel quantity injected.

Question ID : 630680509029
 Option 1 ID : 6306801989412
 Option 2 ID : 6306801989413
 Option 3 ID : 6306801989415
 Option 4 ID : 6306801989414
 Status : Answered
 Chosen Option : 2

Q.53 A set of data consists of five distinct positive integers. If the mean of the data set is 10 and the standard deviation is 0, which of the following could be true?

- Ans
- 1. The range of the data is greater than 10.
 - 2. One of the values is 50.
 - 3. All values in the data set are 10.
 - 4. The median is 5.

Question ID : 630680509056
 Option 1 ID : 6306801989523
 Option 2 ID : 6306801989520
 Option 3 ID : 6306801989522
 Option 4 ID : 6306801989521
 Status : Answered
 Chosen Option : 3

Q.54 Which of the following properties of engineering materials describes the total amount of energy that a material can absorb before it fractures?

- Ans
- 1. Elasticity
 - 2. Shining
 - 3. Plasticity
 - 4. Toughness

Question ID : 630680509032
 Option 1 ID : 6306801989427
 Option 2 ID : 6306801989424
 Option 3 ID : 6306801989425
 Option 4 ID : 6306801989426
 Status : Answered
 Chosen Option : 4

Q.55 The Rayleigh number in free convection scenarios is essential to predict the onset of turbulence. Which of the following dimensionless groups is represented by the Rayleigh number?

- Ans
- 1. Product of Grashof and Prandtl numbers
 - 2. Product of Reynolds and Prandtl numbers
 - 3. Ratio of advection to diffusion
 - 4. Ratio of conduction to convection

Question ID : 630680509013
 Option 1 ID : 6306801989351
 Option 2 ID : 6306801989350
 Option 3 ID : 6306801989348
 Option 4 ID : 6306801989349
 Status : Answered
 Chosen Option : 1

Q.56 The Buckingham π theorem in dimensional analysis states that if a physical process involves n variables and k fundamental dimensions, the number of dimensionless groups (π terms) that can be formed is:

Ans

- 1. $\frac{n}{k}$
- 2. $n - k$
- 3. $n + k$
- 4. $\frac{k}{n}$

Question ID : 630680509005

Option 1 ID : 6306801989318

Option 2 ID : 6306801989319

Option 3 ID : 6306801989316

Option 4 ID : 6306801989317

Status : Answered

Chosen Option : 2

Q.57 A cantilever beam subjected to a uniformly distributed load (UDL) along its entire length will have its maximum bending moment at

Ans

- 1. one-fourth of the span from the free end
- 2. the free end
- 3. the mid-span
- 4. the fixed end

Question ID : 630680508968

Option 1 ID : 6306801989171

Option 2 ID : 6306801989168

Option 3 ID : 6306801989169

Option 4 ID : 6306801989170

Status : Answered

Chosen Option : 4

Q.58 In an adiabatic process, which of the following statements is true regarding the relationship between work W and the change in internal energy of the system?

Ans

- 1. $\Delta U < W$
- 2. $\Delta U = -W$
- 3. $\Delta U > W$
- 4. $W = 0$

Question ID : 630680509018

Option 1 ID : 6306801989371

Option 2 ID : 6306801989369

Option 3 ID : 6306801989370

Option 4 ID : 6306801989368

Status : Answered

Chosen Option : 2

Q.59 The Prandtl number (Pr) is crucial in understanding the relative growth of the hydrodynamic and thermal boundary layers. When $Pr > 1$, which of the following statements is true?

- Ans
- 1. The thermal boundary layer grows faster than the hydrodynamic boundary layer.
 - 2. The growth rates of the boundary layers are unrelated.
 - 3. Both boundary layers grow at the same rate.
 - 4. The hydrodynamic boundary layer grows faster than the thermal boundary layer.

Question ID : 630680509012
 Option 1 ID : 6306801989347
 Option 2 ID : 6306801989345
 Option 3 ID : 6306801989344
 Option 4 ID : 6306801989346
 Status : Answered
 Chosen Option : 4

Q.60 In metal forming processes, what is the primary mechanism behind Superplastic forming?

- Ans
- 1. Diffusion
 - 2. Elastic deformation
 - 3. Grain boundary sliding
 - 4. Dislocation motion

Question ID : 630680509040
 Option 1 ID : 6306801989459
 Option 2 ID : 6306801989457
 Option 3 ID : 6306801989458
 Option 4 ID : 6306801989456
 Status : Answered
 Chosen Option : 2

Q.61 Three identical beams are connected in parallel. If the total deflection experienced by the system under a load P is δ_{total} , which of the following relations is true considering δ is the deflection of one beam?

- Ans
- 1. $\delta_{total} = \frac{3}{\delta}$
 - 2. $\delta_{total} = \delta$
 - 3. $\delta_{total} = 3\delta$
 - 4. $\delta_{total} = \frac{\delta}{3}$

Question ID : 630680508967
 Option 1 ID : 6306801989167
 Option 2 ID : 6306801989164
 Option 3 ID : 6306801989165
 Option 4 ID : 6306801989166
 Status : Answered
 Chosen Option : 2

Q.62 Von Mises-Hencky theory, often used in design for ductile materials under complex stress states, is also commonly referred to as:

- Ans
- 1. Maximum principal stress theory
 - 2. Shear stress theory
 - 3. Distortion energy theory
 - 4. Maximum strain theory

Question ID : 630680508990
Option 1 ID : 6306801989258
Option 2 ID : 6306801989257
Option 3 ID : 6306801989259
Option 4 ID : 6306801989256
Status : Answered
Chosen Option : 3

Q.63 Which of the following gating system components is the most critical that controls the rate of entry of metal into mold?

- Ans
- 1. Pouring basin
 - 2. Sprue
 - 3. Gate-on
 - 4. Runner

Question ID : 630680509038
Option 1 ID : 6306801989448
Option 2 ID : 6306801989449
Option 3 ID : 6306801989451
Option 4 ID : 6306801989450
Status : Answered
Chosen Option : 4

Q.64 Which of the following heat treatment processes is primarily used to relieve internal stresses in materials?

- Ans
- 1. Tempering
 - 2. Annealing
 - 3. Normalizing
 - 4. Quenching

Question ID : 630680509034
Option 1 ID : 6306801989434
Option 2 ID : 6306801989433
Option 3 ID : 6306801989432
Option 4 ID : 6306801989435
Status : Answered
Chosen Option : 3

Q.65 For which of the following material, the typical S-N curve indicates that the stress at failure continues to decrease as the number of cycle increases?

- Ans 1. Aluminium alloys
 2. Wrought iron
 3. Ferrous materials
 4. Polymers

Question ID : 630680508986
 Option 1 ID : 6306801989243
 Option 2 ID : 6306801989242
 Option 3 ID : 6306801989240
 Option 4 ID : 6306801989241
 Status : Answered
 Chosen Option : 3

Q.66 The Rankine cycle efficiency can be improved with the use of superheating. Which of the following statements is NOT a reason for this improvement?

- Ans 1. The specific volume of the steam increases, which increases the turbine work output.
 2. It increases the average temperature at which heat is added to the working fluid.
 3. Superheating reduces the moisture content at the turbine exit.
 4. It increases the latent heat of vaporization for the working fluid.

Question ID : 630680509024
 Option 1 ID : 6306801989392
 Option 2 ID : 6306801989393
 Option 3 ID : 6306801989395
 Option 4 ID : 6306801989394
 Status : Answered
 Chosen Option : 4

Q.67 Which end condition for a column result in the shortest effective length and hence the highest critical buckling load?

- Ans 1. Both ends fixed.
 2. One end pinned and the other free.
 3. Both ends pinned.
 4. One end fixed and the other free.

Question ID : 630680508974
 Option 1 ID : 6306801989193
 Option 2 ID : 6306801989195
 Option 3 ID : 6306801989192
 Option 4 ID : 6306801989194
 Status : Answered
 Chosen Option : 1

Q.68 In which type of gear arrangement is the axis of the two shafts neither parallel nor intersecting?

- Ans
- 1. Spur gears
 - 2. Hypoid gears
 - 3. Helical gears
 - 4. Bevel gears

Question ID : 630680508979
Option 1 ID : 6306801989214
Option 2 ID : 6306801989212
Option 3 ID : 6306801989215
Option 4 ID : 6306801989213
Status : Answered
Chosen Option : 2

Q.69 The compressibility factor (Z) for an ideal gas is:

- Ans
- 1. Less than 1
 - 2. Greater than 1
 - 3. Equal to 1
 - 4. Equal to 0

Question ID : 630680509025
Option 1 ID : 6306801989398
Option 2 ID : 6306801989397
Option 3 ID : 6306801989399
Option 4 ID : 6306801989396
Status : Answered
Chosen Option : 3

Q.70 In the design of a shaft, the presence of keyways, holes, or other notches can introduce stress concentrations. What is the typical method to compensate for these stress concentrations?

- Ans
- 1. Applying a surface treatment to the notched region
 - 2. Introducing fillets at the root of notches
 - 3. Using materials with higher elasticity
 - 4. Increasing the shaft diameter proportionally to the notch depth

Question ID : 630680508994
Option 1 ID : 6306801989272
Option 2 ID : 6306801989275
Option 3 ID : 6306801989273
Option 4 ID : 6306801989274
Status : Answered
Chosen Option : 3

Q.71 Which casting process involves creating a wax pattern, which is subsequently surrounded by a ceramic slurry to form a mold?

- Ans
- 1. Permanent mold casting
 - 2. Sand casting
 - 3. Investment casting
 - 4. Shell molding

Question ID : 630680509039
 Option 1 ID : 6306801989453
 Option 2 ID : 6306801989454
 Option 3 ID : 6306801989452
 Option 4 ID : 6306801989455
 Status : Answered
 Chosen Option : 3

Q.72 The Bell Coleman cycle, commonly used for air refrigeration, operates on the principle of which thermodynamic cycle?

- Ans
- 1. Brayton cycle
 - 2. Carnot cycle
 - 3. Diesel cycle
 - 4. Otto cycle

Question ID : 630680509030
 Option 1 ID : 6306801989417
 Option 2 ID : 6306801989418
 Option 3 ID : 6306801989416
 Option 4 ID : 6306801989419
 Status : Answered
 Chosen Option : 1

Q.73 Consider a composite bar made of steel and brass, fixed at both ends. If the assembly is heated, which of the following statements is true regarding the thermal stresses?

- Ans
- 1. Both materials will develop the same thermal stresses because they are subjected to the same temperature change.
 - 2. There will be no thermal stresses in either material because the bar is free to expand.
 - 3. Brass will develop higher thermal stresses because it has a higher coefficient of thermal expansion than steel.
 - 4. Steel will develop higher thermal stresses because it has a higher coefficient of thermal expansion than brass.

Question ID : 630680508966
 Option 1 ID : 6306801989162
 Option 2 ID : 6306801989160
 Option 3 ID : 6306801989163
 Option 4 ID : 6306801989161
 Status : Answered
 Chosen Option : 4

Q.74 Which of the following components is NOT typically found in a basic heat pump cycle?

- Ans
- 1. Evaporator
 - 2. Compressor
 - 3. Expansion valve
 - 4. Combustion chamber

Question ID : 630680509031
Option 1 ID : 6306801989422
Option 2 ID : 6306801989421
Option 3 ID : 6306801989423
Option 4 ID : 6306801989420
Status : Answered
Chosen Option : 4

Q.75 Knuckle pins are classified as which type of sliding contact bearing motion?

- Ans
- 1. Reciprocating
 - 2. Centrifugal
 - 3. Rotating
 - 4. Oscillating

Question ID : 630680508996
Option 1 ID : 6306801989280
Option 2 ID : 6306801989283
Option 3 ID : 6306801989281
Option 4 ID : 6306801989282
Status : Answered
Chosen Option : 3

Q.76 The primary unbalanced force of reciprocating masses is usually counteracted by:

- Ans
- 1. increasing engine speed.
 - 2. balancing weights on the rotating shaft.
 - 3. using dampers.
 - 4. distributing reciprocating masses evenly around the axis of rotation.

Question ID : 630680508985
Option 1 ID : 6306801989236
Option 2 ID : 6306801989237
Option 3 ID : 6306801989238
Option 4 ID : 6306801989239
Status : Answered
Chosen Option : 2

Q.77 A material that can be drawn into wires under tension without breaking is said to have:

- Ans
- 1. Stiffness
 - 2. Brittleness
 - 3. Hardness
 - 4. Ductility

Question ID : 630680509033
Option 1 ID : 6306801989429
Option 2 ID : 6306801989430
Option 3 ID : 6306801989428
Option 4 ID : 6306801989431
Status : Answered
Chosen Option : 4

Q.78 In a centrifugal clutch, as the engine speed increases, the contact force between the clutch shoes and the drum

- Ans
- 1. increases linearly
 - 2. remains constant
 - 3. increases due to centrifugal force
 - 4. decreases exponentially

Question ID : 630680508998
Option 1 ID : 6306801989289
Option 2 ID : 6306801989290
Option 3 ID : 6306801989291
Option 4 ID : 6306801989288
Status : Answered
Chosen Option : 4

Q.79 For a system with multiple particles, D'Alembert's principle can be applied

- Ans
- 1. to each particle individually.
 - 2. only to the system as a whole.
 - 3. only to the center of mass of the system.
 - 4. only when all particles have equal masses.

Question ID : 630680508964
Option 1 ID : 6306801989152
Option 2 ID : 6306801989153
Option 3 ID : 6306801989154
Option 4 ID : 6306801989155
Status : Answered
Chosen Option : 1

Q.80 In the Otto cycle, the compression and expansion processes are theoretically modeled as:

- Ans
- 1. Isothermal processes
 - 2. Isobaric processes
 - 3. Isochoric processes
 - 4. Adiabatic processes

Question ID : 630680509027
Option 1 ID : 6306801989405
Option 2 ID : 6306801989406
Option 3 ID : 6306801989407
Option 4 ID : 6306801989404
Status : Answered
Chosen Option : 3

Q.81 Chvorinov's Rule relates the solidification time of a casting to:

- Ans
- 1. the ratio of the volume of the casting to its surface area.
 - 2. The type of alloy used.
 - 3. The surface area of the casting only.
 - 4. the ratio of the square of volume of the casting to its surface area.

Question ID : 630680509041
Option 1 ID : 6306801989463
Option 2 ID : 6306801989461
Option 3 ID : 6306801989460
Option 4 ID : 6306801989462
Status : Answered
Chosen Option : 4

Q.82 A plank is placed on two supports, one at each end. If a person stands at the midpoint of the plank, where will the greatest reaction force occur?

- Ans
- 1. On the support where the person is standing
 - 2. On the support opposite to where the person is standing
 - 3. Neither, as the plank will tilt
 - 4. On both supports equally

Question ID : 630680508959
Option 1 ID : 6306801989133
Option 2 ID : 6306801989132
Option 3 ID : 6306801989134
Option 4 ID : 6306801989135
Status : Answered
Chosen Option : 4

Q.83 What defines the Fundamental Deviation in the system of limits and fits?

- Ans
- 1. The largest difference between the actual size and the basic size.
 - 2. The position of tolerance zone in relation to the basic size.
 - 3. Algebraic difference between actual size and corresponding basic size.
 - 4. The difference between the minimum size and the basic size

Question ID : 630680509047
 Option 1 ID : 6306801989486
 Option 2 ID : 6306801989484
 Option 3 ID : 6306801989485
 Option 4 ID : 6306801989487
 Status : Answered
 Chosen Option : 4

Q.84 Which one of the following is a thrust bearing?

- Ans
- 1. Partial journal bearings
 - 2. Full journal bearings
 - 3. Collar bearings
 - 4. Steep bearings

Question ID : 630680508995
 Option 1 ID : 6306801989278
 Option 2 ID : 6306801989277
 Option 3 ID : 6306801989276
 Option 4 ID : 6306801989279
 Status : Answered
 Chosen Option : 3

Q.85 If a transportation problem is solved using the Vogel's Approximation Method (VAM), which of the following criteria primarily influences the initial allocations?

- Ans
- 1. The center-most cell in the transportation matrix.
 - 2. The maximum cost in the transportation matrix.
 - 3. The difference between the two smallest costs in each row or column.
 - 4. The demand and supply ratio for each row and column.

Question ID : 630680509052
 Option 1 ID : 6306801989505
 Option 2 ID : 6306801989506
 Option 3 ID : 6306801989507
 Option 4 ID : 6306801989504
 Status : Answered
 Chosen Option : 3

Q.86 In Ultrasonic Machining (USM), which type of transducer is used?

- Ans
- 1. Semi-quartz
 - 2. Electro-strictive
 - 3. High power sine wave
 - 4. Piezoelectric

Question ID : 630680509044
Option 1 ID : 6306801989475
Option 2 ID : 6306801989473
Option 3 ID : 6306801989472
Option 4 ID : 6306801989474
Status : Answered
Chosen Option : 3

Q.87 For a floating body in equilibrium, the metacenter lies

- Ans
- 1. below both the center of gravity and the center of buoyancy.
 - 2. above both the center of gravity and the center of buoyancy.
 - 3. below the center of gravity but above the center of buoyancy.
 - 4. above the center of gravity and below the center of buoyancy.

Question ID : 630680509002
Option 1 ID : 6306801989304
Option 2 ID : 6306801989305
Option 3 ID : 6306801989306
Option 4 ID : 6306801989307
Status : Answered
Chosen Option : 2

Q.88 Why is tool wear generally more consistent and predictable in multi-point cutting tools compared to single-point cutting tools?

- Ans
- 1. Single-point tools have a more complex geometry.
 - 2. Multi-point tools distribute the cutting load over multiple edges.
 - 3. Single-point tools are usually made of softer materials.
 - 4. Multi-point tools operate at lower speeds.

Question ID : 630680509043
Option 1 ID : 6306801989469
Option 2 ID : 6306801989468
Option 3 ID : 6306801989470
Option 4 ID : 6306801989471
Status : Answered
Chosen Option : 2

Q.89 What is the primary purpose of using alloying elements in powder metallurgy?

- Ans
- 1. To enhance the final properties of the sintered product.
 - 2. To facilitate easier compaction of powders.
 - 3. To reduce the sintering temperature.
 - 4. To improve the flowability of the powder.

Question ID : 630680509045
Option 1 ID : 6306801989479
Option 2 ID : 6306801989478
Option 3 ID : 6306801989477
Option 4 ID : 6306801989476
Status : Answered
Chosen Option : 1

Q.90 A lamina is said to be in rotational equilibrium when _____.

- Ans
- 1. It rotates with constant angular velocity
 - 2. There is no net force acting on it
 - 3. There is no net torque or moment acting about any point
 - 4. The gravitational force is acting at its center

Question ID : 630680508958
Option 1 ID : 6306801989128
Option 2 ID : 6306801989129
Option 3 ID : 6306801989130
Option 4 ID : 6306801989131
Status : Answered
Chosen Option : 1

Q.91 During the simplex method, when can degeneracy occur, and what is its implication?

- Ans
- 1. It occurs when there are no constraints, leading to unlimited solutions.
 - 2. It occurs when all coefficients in the objective function row are negative, indicating optimality.
 - 3. It occurs when the pivot element cannot be found, leading to no feasible solution.
 - 4. It occurs when a basic variable's coefficient becomes zero, possibly leading to cycling.

Question ID : 630680509051
Option 1 ID : 6306801989500
Option 2 ID : 6306801989503
Option 3 ID : 6306801989501
Option 4 ID : 6306801989502
Status : Answered
Chosen Option : 2

Q.92 For a closed system undergoing a process between two specified states, the decrease in availability (or exergy) of the system is always:

- Ans
- 1. Less than the heat transfer to the system
 - 2. Greater than the irreversibility of the system
 - 3. Zero, since availability is a conserved property
 - 4. Equal to the irreversibility of the system

Question ID : 630680509020
 Option 1 ID : 6306801989377
 Option 2 ID : 6306801989376
 Option 3 ID : 6306801989379
 Option 4 ID : 6306801989378
 Status : Answered
 Chosen Option : 4

Q.93 For one-dimensional, steady-state heat conduction through a plane wall without heat generation and with constant thermal conductivity, which of the following statements is TRUE regarding the temperature distribution across the wall?

- Ans
- 1. The temperature remains constant across the wall.
 - 2. The temperature distribution is linear.
 - 3. The temperature increases exponentially across the wall.
 - 4. The temperature distribution is exponential.

Question ID : 630680509009
 Option 1 ID : 6306801989332
 Option 2 ID : 6306801989335
 Option 3 ID : 6306801989333
 Option 4 ID : 6306801989334
 Status : Answered
 Chosen Option : 2

Q.94 For a fully reversed loading condition in an S-N diagram, the mean stress is:

- Ans
- 1. Zero
 - 2. Equal to the maximum stress
 - 3. Negative
 - 4. Equal to half of the maximum stress

Question ID : 630680508987
 Option 1 ID : 6306801989244
 Option 2 ID : 6306801989246
 Option 3 ID : 6306801989245
 Option 4 ID : 6306801989247
 Status : Answered
 Chosen Option : 1

Q.95 Convective acceleration in fluid dynamics is due to:

- Ans 1. the spatial variation in velocity along the flow direction.
 2. viscous forces acting on the fluid.
 3. the time rate of change of fluid velocity at a point.
 4. the gravitational forces acting on the fluid.

Question ID : 630680509003
 Option 1 ID : 6306801989308
 Option 2 ID : 6306801989311
 Option 3 ID : 6306801989310
 Option 4 ID : 6306801989309
 Status : Answered
 Chosen Option : 1

Q.96 The critical radius of insulation for a cylindrical object, like a pipe, is the radius at which:

- Ans 1. the heat transfer rate is minimized.
 2. the inner surface temperature is minimized.
 3. the heat transfer rate is maximized.
 4. the outer surface temperature is maximized.

Question ID : 630680509008
 Option 1 ID : 6306801989331
 Option 2 ID : 6306801989329
 Option 3 ID : 6306801989330
 Option 4 ID : 6306801989328
 Status : Answered
 Chosen Option : 3

Q.97 In the cooling curve of a pure metal, the plateau represents:

- Ans 1. The temperature range where both solid and liquid phases coexist
 2. The latent heat of fusion
 3. The temperature at which the metal is fully solid
 4. The time taken for complete solidification

Question ID : 630680509036
 Option 1 ID : 6306801989442
 Option 2 ID : 6306801989443
 Option 3 ID : 6306801989441
 Option 4 ID : 6306801989440
 Status : Answered
 Chosen Option : 1

Q.98 In a CPM analysis, "total float" refers to the

- Ans 1. maximum time an activity can be delayed without delaying the project completion date.
2. buffer added to the project to account for uncertainties in activity durations.
3. time saved by performing activities in parallel.
4. difference between the earliest start and finish times of non-critical activities.

Question ID : 630680509054
 Option 1 ID : 6306801989513
 Option 2 ID : 6306801989514
 Option 3 ID : 6306801989512
 Option 4 ID : 6306801989515
 Status : Answered
 Chosen Option : 1

Q.99 Which dimensionless number is widely used in forced convection heat transfer and to decide on the type of flow as laminar or turbulent?

- Ans 1. Biot number
2. Nusselt number
3. Reynolds number
4. Prandtl number

Question ID : 630680509007
 Option 1 ID : 6306801989327
 Option 2 ID : 6306801989325
 Option 3 ID : 6306801989324
 Option 4 ID : 6306801989326
 Status : Answered
 Chosen Option : 3

Q.100 In an axial flow compressor, the primary flow direction of the working fluid is:

- Ans 1. radially inward.
2. perpendicular to the axis of rotation.
3. radially outward.
4. parallel to the axis of rotation.

Question ID : 630680509023
 Option 1 ID : 6306801989390
 Option 2 ID : 6306801989389
 Option 3 ID : 6306801989391
 Option 4 ID : 6306801989388
 Status : Answered
 Chosen Option : 4