

X 3.

Sardar Vallabhbhai Patel International Airport, Ahmedabad



Participant ID	7
Participant Name	
Test Center Name	
Test Date	11/11/2018
Test Time	4:30 PM - 6:30 PM
Subject	EXECUTIVE SIGNAL & TELECOMMUNICATION

Section: General Aptitude Knowledge Q.1 With the army of which country has Indian army conducted a two-week joint military exercise "York Abhyas 2018" in Uttaraknand in September 2018? Question ID: 1860452231 Ans V 1. USA Status: Answered Chosen Option: 1 X 2. France X 3. Germany X 4. UK Q.2 The Indian Air Force has successfully carried out the first ever mid-air refaciling of which of the following compart aircrafts? Question ID: 1860452233 Ans √ 1. Tejas Status: Answered Chosen Option: 1 X 2. Cheetah X 3. Dhruv X 4. Rudra Q.3 Which one of the following is holled as the finest specimen of Indo-British prehittening in India, and called the 'Tajor' the Rai? Question ID: 1860452228 ✓ 1 The Victoria Memorial Hall, Kolkata Status: Answered Chosen Option: 1 × 2. Victoria Terminus, Bombay X 3. Rashtrapati Bhavan, New Delhi X 4. Cellular Jail, Andaman and Nicobar Islands Q.4 A device used to test whether any object is carrying a charge or not is known as Question ID: 1860452237 Ans X 1. Stethoscope Status: Answered Chosen Option: 3 X 2 Coulomb device ✗ 3. Electrostatic device 4. Electroscope Q.5 Which airport will become the first airport of India to provide paperless oil travel to the domestic passengers through binmente technology? Question ID: 1860452234 Ans X 1. Status: Answered Chosen Option: 1 Chhatrapati Shivaji International Airport, Mumbai Kempegowda International Airport, Bengaluru



3. The Equator

Ans 1. Both 2 and 3

2. Only 1



Indira Gandhi International Airport, New Delhi Q.6 Government of which Union Territory has launched 'Home Delivery of Public Services' scheme as an attempt to climinate corruption in various public dealing offices? Question ID: 1860452232 X 1. Chandigarh Status: Answered Chosen Option: 4 X 2. Puducherry X 3. Lakshadweep 4. Delhi Q.7 Where is the famous and India's largest Buddhist monastery, Tawang Monastery, located? Question ID: 1860452229 ✓¹ Arunachal Pradesh Status: Answered X 2. Assam Chosen Option: 4 X 3. Nagaland X 4. Manipur Q.8 Which among the following States has the largest number of Lok Sabha seats? Question ID: 1860452230 Ans ✓ 1. West Bengal Status: Answered Chosen Option: 4 X 2. Gujarat X 3. Assam X 4. Rajasthan Q.9 Which state is the largest producer of tomatoes in India? Question ID: 1860452236 Status: Answered ✓ 1 Andhra Pradesh Chosen Option: 2 2. Madhya Pradesh X 3. West Bengal X 4. Gujarat Q.10 In which year was the Gandhi-Irwin Pact signed? Question ID: 1860452227 Ans X 1, 1942 Status: Answered Chosen Option: 1 X 2. 1935 **3.** 1931 X 4 1921 Q.11 Which of the following is NOT an instrument of the monetary policy of the Reserve Bank of India? Question ID: 1860452235 1 Goods and Services Tax (GST) Status: Answered Chosen Option: 1 X 2. Bank Rate 3. Statutory Liquidity Ratio (SLR) X 4. Cash Reserve Ratio (CRR) Q.12 Which of the following pass (es) through the Indian mainland? Question ID: 1860452226 Status: Answered 1. The Tropic of Capricorn Chosen Option: 3 2. The Tropic of Cancer





√ 3. Only 2 X 4. Both 1 and 2 Section: Logical Reasoning Q.1 A. B. C. D. E and F are sitting in a fleatre facing the stage. E is sitting second from the left end. D is on the immediate right of F. A is at an extreme end and has C as neighbour. E is between B and F. Who is sitting to the right of 'C'? Question ID: 1860452240 Ans X 1. D Status: Answered Chosen Option: 4 X 2. E Q.2 Abbijit leaves his house and moves 30 km in northwest direction and 30 km in southwest direction. Next, he moves 30 km in southeast direction. Then he moves 30 km in northwest direction. How far away is he from his house? Question ID: 1860452244 X 1 10 km Status: Answered Chosen Option: 2 ✓ 2. 0 km X 3. 30 km X 4. 20 km Q.3 Which of the Venn diagrams correctly represents the following classes as applicable in India? Question ID: 1860452249 President, Cabinet, Home Minister Status: Answered Ans Chosen Option: 3 Q.4 Prom the given alternatives, select the word which CANNOT he formed using the letters of the given word: RESOLUTELY Question ID: 1860452242 Ans X 1. LUSTRE Status: Answered Chosen Option: 4 X 2. SELLOUT X 3. TROLLEYS 4. RESULTS Q.5 Find a number, which when added to itself 14 times, gives 120. Question ID: 1860452247





Ans X 1. 9 Status: Answered Chosen Option: 4 X 2. 6 X 3. 7 **4.** 8 Q.6 Select the option which is different from the other three responses: Question ID: 1860452238 Ans X 1. OQTX Status: Answered Chosen Option: 3 X 2. CEHL X 3. KMPT 4. NPSV Q.7 Choose the correct alternative from the given ones that will complete the given number series: Question ID: 1860452239 62, 73, 95, 128, 172, ___ Status: Answered Ans X 1. 204 Chosen Option: 4 X 2. 248 X 3. 258 4. 227 Q.8 In the following equation, two numbers need to be interchanged to make it correct. Choose the numbers from the given Question ID: 1860452245 $6 \times 3 + 8 \div 2 - 1 = 9 - 8 \div 1 + 5 \times 2$ Status: Answered Ans X 1. 2, 8 Chosen Option: 2 **√** 2. 5. 9 X 3. 3, 6 X 4. 1. 9 Q.9 An argument always has: Question ID: 1860452246 Status: Answered Ans X 1. Noise Chosen Option: 3 X 2. Difficulty 3. Disagreement X 4. Mediator Q.10 J. K. J., M and N are five cousins. M is half the age of K; N is twice the age of J. K is half the age of J. M is half the age of L. Who is the youngest of all? Question ID: 1860452248 Ans X 1. L Status: Answered Chosen Option: 2 ✓ 2. M X 3. K X 4. J Q.11 Given below are two statements. Consider these statements to be true even if they seem factually about. Read the conclusions and then decide which of the given conclusions logically follow(s) from the given statements? Question ID: 1860452241 Statements: Status: Answered All noodles are forks.
 No fork is a spoon. Chosen Option: 4 Conclusions: No noodle is a spoon.
 Some forks are noodles. Ans X 1. Neither conclusion follows. X 2. Only conclusion I follows. 3. Only conclusion II follows. 4. Both the conclusions follow.





Q.12 If the twelfth day of a month is 4 days after Friday, what day will it be on the first day of the month?

✓ 1. Friday

X 2. Monday

X 3. Tuesday

X 4. Wednesday

Section: Engineering Mathematics

Q.1 The expression for the truth table given below in POS form is given by:

A	В	C	F
0	0	0	1
0	0	1	0
0	1	0	1
0	1	1	1
1	0	0	1
1	0	1	1
1	1	0	1
1	1	1	0

Ans X 1. AB'C+ABC'

✓ 2. (A+B+C')(A'+B'+C')

X 3. A'B'C+ABC

X 4. (A+B'+C')(A'+B'+C')

Q.2 Two voltages given as -2 V and -1V in positive logic convention represent:

Ans X 1. −2 V is logic 1 and −1 V is logic 0

-5 V is logic 0 in some circuits and 1 in the other

√ 3. -2 V is logic 0 and -1 V is logic 1

-5 V is logic 1 in some circuits and 0 in the other

Q.3 The number of essential prime implicants for the Function Y = A'B'C'D A'BCD' AB'C'D AB'C'D' is given by

Ans X 1. 1

X 2. 2

3. 3

X 4. 4

Q.4 A buffer is:


Ans X 1. Neither inverting nor non-inverting

✓ 2. Inverting or non-inverting

X 3. Always non-inverting

X 4. Always inverting

Q.5 The current state of Q2Q1Q0 - 100 for the circuit below. The next state will be



Ans

1. 101

Chosen Option: 1

Question ID: 1860452243

Status: Answered

Question ID: 1860452254

Status: Answered

Chosen Option: 4

Question ID: 1860452253

Status: Answered

Chosen Option: 1

Question ID: 1860452252

Status: Answered

Chosen Option: 4

Question ID: 1860452255

Status: Answered

Chosen Option: 4

Question ID: 1860452251

Status: Not Answered





X 3. 001 X 4. 110 Q.6 The Boolean function AB+AC is equivalent to _____. Question ID: 1860452250 Ans X 1. AB+AC+BC Status: Not Answered Chosen Option: --X 2 A'B'C'+ABC'+A'BC X 3. ABC+A'BC+B'C' √ 4. ABC+ABC'+AB'C Section: Networks Signals & systems Q.1 PLA consists of _____. Question ID: 1860452259 Status: Not Answered Ans X 1. Programmable AND and fixed OR arrays Chosen Option: --Programmable AND and Programmable OR arrays X 3. Fixed AND and Programmable OR arrays X 4. Fixed AND and Fixed OR arrays Q.2 When two asynchronous active low inputs PRESET and CLEAR are applied to a J-K flip flop, the output will be Question ID: 1860452257 Ans X 1. 0 Status: Answered Chosen Option: 3 ✓ 2. Undefined X 3. Previous State X 4. 1 Q.3 5:32 decoder circuit can be implemented with Question ID: 1860452264 Ans 1. One 2:4 decoder and 43:8 decoders Status: Answered Chosen Option: 3 X 2 Four 3:8 decoders X 3. Two 3:8 decoders X 4. Eight 2:4 decoders Q.4 Output of the circuit shown below when S = 1 and S = 0 will be Question ID: 1860452258 Status : Not Answered Chosen Option: --Ans X 1. P and High Impedance state respectively ✓ 2. High Impedance state and P' respectively X 3. 0 and 1 respectively X 4. X and P respectively Q.5 A particular logic family has VOH – SV, VOL – IV, VIH – 3.5 and VII. – 2V. The Noise margins values NM_H and NM_L will be: Question ID: 1860452260 Ans ✓ 1.1.5V, 1V Status: Not Answered Chosen Option: --× 2. 5V, 1V





X 3. 1V, 1.5V

X 4. 4.1V, 5V

Q.6 The resolution of 4 Bit counting ADC is 0.5 V. For an analog input 5.8 volt, the output of ADC will be _

Ans 🗸 1. 1100

X 2. 1111

X 3. 1010

X 4. 1011

Q.7 A problem detector system produces an alarm in the factory when one of the three conditions occurs. The system is designed as such only one condition can occur at a time. If the three conditions are defined as q, r and s respectively, the output logic for the system can be given as

Ans X 1. q'rs+r's'

√ 2. qr's'+qs

X 3. qrs'+r'

X 4. q+r+s

Question ID: 1860452261 Status : Not Answered


Question ID: 1860452266

Status: Not Answered

Chosen Option: --

Chosen Option: --

Q.8 The sequence detected by the state diagram shown below is



Question ID: 1860452267

Status: Marked For Review


Chosen Option: 4

Ans X 1. 1110 sequence detector without overlap

× 2 1110 sequence detector with overlap

X 4. 1101 sequence detector with overlap

The output of the circuit shown in Fig. is . .



Question ID: 1860452256

Status: Answered

Chosen Option: 4

Ans X 1. 0

✓ 2. X

X 3. A

Q.10 For a Typical CMOS process, the minimum feature size is set to be 2 – 25 µm. The minimum line width of process is set to be _____.

× 1. 100 μm

× 2. 12.5 μm

🥒 3. 50 μm

Question ID: 1860452265

Status: Not Answered





× 4. 25 μm Q.11 Race around condition is associated with Question ID: 1860452263 Status: Answered Ans X 1. Combinational circuits

Sequential circuits with level triggered clock

X 3. Sequential circuits

X 4. Both Sequential and Combinational circuits

Q.12 Minimum number of half adders, full adders and AND gates required to implement 2 × 3 Multiplier is given as

Ans X 1, 1, 2, 6

X 2. 1. 1. 6

X 3. 2, 2, 6

4. 2, 1, 6

Question ID: 1860452262 Status: Answered

Question ID: 1860452273 Status: Not Answered

Question ID: 1860452270 Status: Not Answered

Chosen Option: --


Chosen Option: 4

Chosen Option: --

Chosen Option: 1

Section: Electronic devices

Q.1 Find the high cut-off frequency of second order filter as shown in the figure below:



Ans

✓ 1 1128 Hz X 2. 1028 Hz

X 3. 1228 Hz

× 4. 1528 Hz

Q.2 The translator in the circuit of below Fig. has $\beta = 100$ and exhibits a v_{Rg} of 0.7 V at $t_C = 2$ mA. Find the values of R_C and R respectively, so that a current of 3 mA flows through the collector and a voltage of 45 V appears at the collecto



Ans X 1. 4.59 k and 3.33 k

X 2. 3.33 k and 2 k

X 3. 4.59 k and 2 k

4. 3.33 k and 4.59 k

Q.3 The CMOS inverter can be used as an amplifier when:

Ans X 1 PMOS is in linear, NMOS is in cut-off.

× 2. Both are in linear region.

3. both PMOS and NMOS are in saturation.

X 4. NMOS is in linear, PMOS is in cut-off.

Q.4 For given op-omp circuit, consider infinite input resistance and zero output resistance. If A = 100 (open loop gain) then what will be the closed loop gain?

Ans 1. 0.99

× 2. 0.25

X 3. 0.7

Question ID: 1860452279

Status: Answered

Chosen Option: 3

Question ID: 1860452275 Status: Not Answered







Q.5 Diffusion capacitance of PN Junction Diode



increases with increasing current and increasing temperature



increases with increasing current and decreasing temperature




decreases with decreasing current and decreasing temperature



decreases with increasing current and increasing temperature

Q.6 What is the voltage gain for the circuit given below?

Question ID: 1860452272 Status: Not Answered Chosen Option: --




Ans \times 1. -gm1 (ro1 \times ro2)

√ 2. –gm1 (ro1||ro2)

X 3. gm1 (ro1 × ro2)

X 4. gm1 (ro1||ro2)

Q.7 In the given circuit, which type of feedback configuration is used?




Ans X 1. Series – Shunt feedback

X 2. Shunt - Shunt feedback

√ 3. Series – Series feedback

X 4. Shunt - Series feedback

Q.8 In the given circuit below, what will be the value of Vo?



💢 1. 8 V

Question ID: 1860452274 Status : Answered

Question ID: 1860452278

Chosen Option: 2

Status: Answered

Chosen Option: 2

Question ID: 1860452271 Status: Not Answered





X 3. −5 V Q.9 Calculate the expression of output voltage for the given circuit: Question ID: 1860452276 Status: Not Answered Chosen Option: --Ans ✓ 1. 41(V1 – V2) × 2. 11(V2 - V1) X 3. 11(V1 - V2) X 4. 41(V2 - V1) Q.10 A Darlington emitter follower circuit is sometimes used in the output stage of TTL gate to Question ID: 1860452268 Ans X 1. To decrease power consumption Status: Answered Chosen Option: 1 × 2. Decrease its IOH X 3. Increase its IOL 4. To increase speed Q.11 What is the peak output voltage of a class B amplifier for a supply voltage of V_(X) = 15 V with an efficiency of 69 %? Question ID: 1860452277 Ans X 1. 17.31 V Status : Answered X 2. 21.74 V Chosen Option: 2 √ 3. 13.17 V X 4. 10.35 V Q.12 Assume that the diode D1 is ideal and D2 has cut in vallage of 0.3 as given in the circuit below. Find out the values of labeled voltage and current: Question ID: 1860452269 Status: Not Answered Chosen Option: --Ans X 1. 8 V and 0.5 mA X 2. 7.57 V and 0.5 mA X 3. 8 V and 0.24 mA 4. 7.57 V and 0.24 mA Section : Analog Circuits Question ID: 1860452280

Status: Not Answered

Chosen Option: --

 $\textbf{Q.1} \quad \text{The output resistance of JPTT} \text{ when operating in pinch off at a current 10 mA and } = 0.05 \text{ V}^{-1} \text{ is given by:}$

Ans \times 1. 450 Ω

√ 2. 2kΩ

× 3. 200Ω

× 4. 2Ω






Q.2 If VB = 1V and VE = 1.7 V, β and Vc of the circuit will be Question ID: 1860452288 Status: Not Answered Chosen Option: --Ans 1. 165 and -1.75 V X 2. 150 and -2.75 V X 3. 0.994 and -1.75 V X 4. 180 and 2.75 V Q.3 An NMOS has Id = 5m A, Vg3 = 2V, Vd3 = 4V and Vt = 0.8 V. If the thickness of oxide is 500 A°, the aspect ratio of device at room temperature will be Question ID: 1860452287 Ans X 1. 1.5 Status: Not Attempted and **Marked For Review** X 2. 14 Chosen Option: --3. 25 4. 35 Q.4 Fourier Transform of sgn (t) is _____, where sgn represents signim function. Question ID: 1860452291 Ans X 1. jω Status: Not Attempted and **Marked For Review** X 2. 2jw Chosen Option: --× 3. jω/2 √ 4. 2/jω Q.5 An MOS Capacitor with P Substrate is in accumulation mode. The dominant charge in the channel is due to the Question ID: 1860452286 Ans X 1. electrons Status: Answered Chosen Option: 2 × 2. negatively charged ions √ 3. holes X 4 positively charged ions Q.6 Trans conductance of MOSFET in linear region can be approximated by _ Question ID: 1860452282 Ans X 1. 2K(VGS-VT) Status: Not Attempted and **Marked For Review** √ 2. KVDS Chosen Option: --X 3. ID/(VGS-VDS) X 4. K(VGS-VT)²/ID Q.7 A Si sample is doped with 10¹⁷ Arsenic atoms/cm³. Displacement of EF relative to Ei is _ Question ID: 1860452284 Ans X 1. Positive, 0.589 eV Status: Not Answered Chosen Option: --X 2 Negative, 0.589 eV ✓ 3. Positive, 0.407 eV X 4 Negative, 0.407 eV Q.8 An N-Channel JFET has I_{DSS} = 1 mA and Vp = -8V. Its maximum transconductance is _ Question ID: 1860452290 Ans X 1. 4 S Status: Not Answered







, -1 Re

Ans X 1. High Pass Filter

X 2. Low Pass Filter



Q.9



3. All Pass Filter X 4. Notch Filter Q.2 What is the total power carried by sidebands of the AM wave (DSB) for tone modulation for $\mu = 0.4$? Question ID: 1860452293 Ans 1. 7.4% Status: Answered X 2. 11.11% Chosen Option: 2 X 3. 4.3% X 4. 8.3% Q.3 Which of the following requires least bandwidth? Question ID: 1860452297 Ans X 1. DSB-SC Status: Answered Chosen Option: 4 X 2. DSB X 3. VSB 4 SSB Q.4 To increase the rate of communication by logoM in M-ary communication, the power requirement increases by Question ID: 1860452296 Ans X 1. 2M Status: Answered Chosen Option: 1 ✓ 2. M² X 3. MM X 4. 2M Q.5 An Amplitude modulated signal has a carrier frequency of 10 kHz. The upper sideband is transmitted at 11 kHz. The bandwidth required for the AM signal to transmit is _______. Question ID: 1860452304 Ans X 1. 10 kHz Status: Not Answered Chosen Option: --✓ 2. 2 kHz X 3. 11 kHz X 4. 1 kHz Q.6 Which modulation technique does NOT use past information for modulation? Question ID: 1860452295 Ans X 1. Delta Modulation Status : Answered Chosen Option: 4 2. Pulse Code Modulation X 3. Adaptive Differential Pulse Code Modulation Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Modulation

Adaptive Delta Mo Q.7 Number of bits per symbol in a 16 QAM is ____ Question ID: 1860452301 Ans 1. 4 Status: Answered Chosen Option: 1 X 2. 16 X 3, 8 X 4. 32 Q.8 If the constant 'k' is negative, then what would be its contribution to the phase plot? Question ID: 1860452307 Ans X 1. 90 degrees Status: Answered Chosen Option: 3 X 2. 45 degrees X 3. 180 degrees ✓ 4. 0 degree



Q.16



Question ID: 1860452292

Inverse Fourier Transform of $\delta(\omega - \omega_0)$ is Status: Not Answered Ans \times 1. $2\pi/e^{j\omega 0t}$ Chosen Option: --× 2. ejω0t √ 3. ejω0t/2π × 4 2π ejω0t Q.10 An op-amp based programmable gain amplifier with a negative feedback is designed. Which method will be the best suitable for its stability analysis? Question ID: 1860452306 Ans X 1 Bode Plot Status: Answered Chosen Option: 4 X 2. Nyquist Plot 3. Root Locus X 4 R-H Stability Criteria Q.11 A system with a unity gain margin and zero phase margin is Question ID: 1860452305 Ans X 1. sluggish Status: Answered Chosen Option: 3 X 2. highly stable √ 3. oscillatory X 4. relatively stable Q.12 The signal power and insise power are denoted by S and N respectively. If the signal power increases to 35 and the noise power reduces by half, the ratio of old SNR to the new SNR is given by ______. Question ID: 1860452300 Ans X 1. 6 Status: Answered Chosen Option: 4 X 2. 2/3 X 3. 1.5 4 1/6 Q.13 The maximum efficiency of AM modulation (tone modulation) is Question ID: 1860452298 Ans X 1. 67% Status: Answered X 2. 30% Chosen Option: 1 X 3. 70% 4. 33% Q.14 The modulation index of an AM modulated signal is 0.7 and the carrier power is 14 W. Calculate total sideband power. Question ID: 1860452299 Ans X 1. 18.47 W Status: Answered X 2. 23.14 W Chosen Option: 1 X 3. 12.39 W ✓ 4. 17.43 W Q.15 Identify the correct definition for Phase Margin and Gain Margin: Question ID: 1860452308 Status: Answered Gain margin is a factor by which the system gain can be increased to drive the system to the verge of instability.
 Phase margin is the additional phase lead at gain cross over frequency to bring the system to verge of instability Chosen Option: 1 I. Gain margin is a factor by which the system gain can be increased to drive the system to the verge of instability. II. Phase margin is the additional phase lag at gain cross over frequency to bring the system to verge of instability I. Gain margin is a factor by which the system gain can be decreased to drive the system to the verge of instability. II. Phase margin is the additional phase lead at gain cross over frequency to bring the system to verge of instability I. Gain margin is a factor by which the system gain can be decreased to drive the system to the verge of instability. II. Phase margin is the additional phase lag at gain cross over frequency to bring the system to verge of instability.





The bit rate of digital communication system is M kbps. The modulation used is 16-QAM. The minimum bandwidth required for ideal transmission is $\underline{\hspace{1cm}}$, Question ID: 1860452303 Status: Answered Ans X 1 M/2 kHz Chosen Option: 4 2. M/16 kHz X 3. M kHz 4. M/8 kHz Q.17 A practical signal could be _____. Question ID: 1860452294 Ans X 1. Status: Answered Chosen Option: 4 both, time limited and band limited, simultaneously both, time limited and band limited, but not at the same time X 3. band limited X 4. time limited Q.18 Which of the following has the least noise immunity? Question ID: 1860452302 Ans X 1. QAM Status: Answered Chosen Option: 2 ✓ 2. ASK X 3. FSK X 4. PSK Section: Control System Q.1 A discrete time system y(n) is the resultant convolution of f(n) and fn(n) having length 3 and 5 respectively. The maximum possible sample value of f(n) and h(n) are 10 and 20 respectively. Find the maximum possible value for sum of all sample value of y(n). Question ID: 1860452327 Status: Not Answered Ans 🗸 1. 3000 Chosen Option: --X 2. 15 X 3. 130 X 4. 200 Q.2 Slow response of an over-damped system can be made faster with the help of Question ID: 1860452314 Ans X 1. PD Status: Answered ✓ 2. P Chosen Option: 1 X 3. PI X 4. Remote Q.3 A system is given by $x(t) = e^{at} u(t)$. The system is ___ Question ID: 1860452326 Ans X 1. Causal and Stable Status: Not Attempted and **Marked For Review** X 2. Non-Causal and Stable Chosen Option: --3. Causal and Unstable X 4. Non-Causal and Unstable Q.4 A condition where integral control action drives the output of a controller into saturation is called _ Question ID: 1860452315 ✓ 1. Wind-Up Status: Answered Chosen Option: 4 X 2. Noise X 3. Repeat X 4. Offset Q.5

Question ID: 1860452310





There are 2 systems:

- a. An automatic washing machine
- b. An automatic intensity adjustable light bulb

Status: Answered

Chosen Option: 4

Which of these systems will be more sensitive to the variation in system's gain?

- Ans X 1 Data is insufficient
 - X 2. Automatic intensity adjustable light bulb
 - X 3. Both will be equally sensitive
 - 4. Automatic washing machine

Q.6 The fourier series expansion of sgn(cos(t)) has _____. Where sgn represents the signum function.

Ans

- X 1. Only sine terms with even harmonics.
- 2. Only sine terms with odd harmonics.
- 3. Only cosine terms with odd harmonics.
- 4. Only cosine terms with even harmonics.

Question ID: 1860452325

Status: Not Attempted and **Marked For Review**

Chosen Option: --

Q.7 What will be the Gain Margin (GM) and the Phase Margin (PM) of a closed loop T.F. $T(s) = 500000/(s^2 + 700s + 250000)?$

- Ans

 √ 1. ∞, 35
 - × 2. ∞, 70
 - X 3. 60, 70
 - X 4. 60, 35

Question ID: 1860452312

Status: Not Attempted and

Marked For Review

Chosen Option: --

Q.8 Steady state error for an open loop system is 0.1. Steady state error for the previously mentioned system being closed loop with a unity negative feedback and a pulse input for 1s having magnitude of 10 is?

Ans

- X 1. 0.1
- **2.** 0
- X 3. 0.2
- X 4. 0.02

Question ID: 1860452311

Status: Not Attempted and

Marked For Review

Chosen Option: --

Q.9 Find Thevenin's equivalent resistance for the following circuit:

Question ID: 1860452320

Status: Not Attempted and

Marked For Review

Chosen Option: --

Ans X 1. 5.67 Ω

¥ 2. 6.66 Ω

Χ 3. 6 Ω

× 4. 6.33 Ω

Q.10 If the given system is connected to a unity negative feedback system, the steady state error of closed loop system to a ramp input is:

Question ID: 1860452313

Status: Not Answered

Chosen Option: --

Ans





X 4. 0.2

Q.11 ____indicates not only whether a system is stable, but also its degree of stability and how stability may be improved if necessary.

Ans X 1. Bode Plot

X 2. Polar Plot

3. Nyquist Plot

X 4. Nichols Plot

Q.12 If the output of the system at steady state doesn't agree with the input, then the system is said to have _____, which determines the _____ of the system.

Ans 🗸 1. Steady state error, accuracy

X 2. Residual error, overshoot

X 3. Steady state error, tolerance

X 4. Residual error, tolerance

Q.13 The Transfer Function of lead and lag compensators have _____ and ____ phase angles respectively which makes the system ____ and ____ respectively.

Ans X 1 -ve, -ve, slower, faster

× 2. +ve, +ve, slower, faster

✓ 3. +ve, -ve, faster, slower

X 4. -ve, +ve, faster, slower

Q.14 Find I_1 in the following circuit. $V_1 = V_2 = 1V$:


Ans X 1. 0.1A

X 2. 0.4A

X 3. 0.3A

√ 4. 0.2A

Q.15 In the given Circuit, the switch is closed at t = 0. Find the value of I.



Ans X 1. 6A

X 2. −3A

X 3. 3A

√ 4. – 6A

 $\int_{-7}^{2} (t^2 + t^3 + 1)\delta(t - 3)dt = \underline{\qquad}.$

Question ID: 1860452324

Question ID: 1860452323

Chosen Option: 1

Status: Marked For Review

Status: Not Attempted and

Question ID: 1860452318

Question ID: 1860452316

Status: Answered

Chosen Option: 3

Chosen Option: 1

Status: Answered

Question ID: 1860452319

Status: Answered

Question ID: 1860452322 Status: Answered

Chosen Option: 3





X 1. 3 Marked For Review Chosen Option: --× 2. 37 X 3. 13 **4.** 0 ${f Q.17}$. A. If the inputs to a control system are gradually changing functions of time, then a an function will be a A. It the imposs of the second test signal and Question ID: 1860452317 Status: Answered Ans X 1. impulse, ramp, step Chosen Option: 3 √ 2. ramp, step, impulse X 3. impulse, step, ramp X 4. ramp, impulse, step Q.18 Find the resistance R1 and R3 in the following circuit: Question ID: 1860452321 Status: Not Attempted and Marked For Review Chosen Option: -- $R_2 \lesssim 7 \Omega$ Ans X 1. 4.11, 6.78 X 2. 4.11, 5.78 X 3. 7.23, 3.19 4. 5.09, 3.18 Section: Communication The following image represents: Question ID: 1860452331 Status: Answered Chosen Option: 2 Ans X 1. Wave Shaping × 2. Shannon-Hartley Effect √ 3. Gibb's Phenomena X 4. Aliasing Q.2 Consider the 2 statements: Question ID: 1860452334 An odd and imaginary signal always has an odd and imaginary Fourier transform.
 The convolution of an odd fourier transform with and even fourier transform is always even.

Ans

1. None

Which of the above statements is / are true:

X 2. 1 and 2

Status: Not Attempted and

Marked For Review





X 4. 2

Q.3 Should the real time instruments like CRO and DSO be time invariant?

Ans

1 Yes

× 2. Never

X 3. Sometimes

X 4. No relation with the time invariance

Q.4 By the decomposition property of a linear system, we can separate out 2 components of the linear system namely:

Ans 1.

Zero input component, zero state component

X 2.

Steady state component, transient component

X 3. Linear component, non-linear component

X 4. Line and a Circle

Q.5 Wattmeter deflection in AC circuits is proportional to the

Ans X 1. Voltage in the circuit

✓ 2. Average Power in the circuit

X 3. Instantaneous Power in the circuit

X 4. Maximum power in the circuit

Question ID: 1860452337

Status : Answered

Question ID: 1860452329

Question ID: 1860452330

Status: Answered

Chosen Option: 1

Chosen Option: 2

Status: Answered

Question ID: 1860452328

Status: Not Attempted and

Marked For Review

Chosen Option: --

Chosen Option: 4

Q.6 Find the current flowing through the resistor R3?

R2 3Vm

Ans X 1. 0.48A

√ 2. 0.96A

X 3. 0.24A

X 4. 1.2A

Q.7 Consider y1(t) = x(3t) and y2(t) = x(t/3). Consider the following statements:

1) If y1(t) and y2(t) are periodic, then x(t) is periodic.

2) If x(t) is periodic, then y1(t) and y2(t) are periodic.

Which of the above statements is/are true:

Ans X 1. None

X 2. 1

✓ 3. 1 and 2

Q.8 An absolutely integrable signal x(t) is known to have a pole at s = 5. Which of the following statements are correct?

X 1 x(t) is of finite duration

Question ID: 1860452333

Status: Not Attempted and

Marked For Review

Chosen Option: --

Question ID: 1860452336 Status: Answered





Chosen Option: 3 2. None X 3. x(t) is right sided X 4. x(t) is not feasible **Q.9** Let x(t) be a signal with Nyquist rate w_0 . Determine the Nyquist rate for $y(t) = x(t)\cos(w_0t)$. Question ID: 1860452335 Ans X 1. W₀ Status: Not Attempted and Marked For Review × 2. 2w₀ Chosen Option: --√ 3. 3w₀ × 4. 2π Q.10 Solve $15/t^2 = 2/3$: Question ID: 1860452339 Ans X 1. +/- 2.122 Status: Not Answered Chosen Option: --X 2. +/- 2.568 √ 3. +/- 2.372 X 4. +/- 2.188 Q.11 The signal $y(t) = T\{x(t)\} = \sin(2\pi t) * x(t) + u(t-2)$ is _____ Question ID: 1860452332 Ans X 1. Linear, time variant, non-causal Status: Not Attempted and Marked For Review ✓ 2. Non-linear, time invariant, causal Chosen Option: --X 3. Linear, time invariant, causal X 4 Non-linear, time invariant, non-causal Q.12 A die is tossed three times. What is the probability of getting an odd number at least once? Question ID: 1860452338 Ans X 1. 7/16 Status: Not Answered 2. 7/8 Chosen Option: --X 3. 3/16 X 4. 7/5 Section: Electromagnetic Q.1 Light is good for telecommunications because it is: Question ID: 1860452343 Status: Answered Ans 1. a high-frequency carrier Chosen Option: 1 X 2. not modulated X 3. a very low-frequency carrier X 4 a low-frequency carrier Q.2 If 6 is the conductivity, What is the relationship between the electric field E and the current density J in a conducting medium? Question ID: 1860452344 Ans $\sqrt{1}$ 1. $\sigma = J/E$ Status: Marked For Review Chosen Option: 1 \times 2. $\sigma = 1/(EJ)$ \times 3. $\sigma = E/J$ \times 4. $\sigma = EJ$ Q.3 What is meant by the polarisation of electromagnetic waves? Question ID: 1860452345 Ans X 1. Status: Marked For Review The polarisation is the direction of the electric current in an electromagnetic wave. Chosen Option: 1





The polarisation is the direction of the electric field in an electromagnetic wave.

The polarisation is the magnitude of the voltage in an electromagnetic wave.



The polarisation is the inverse of the electric field in an electromagnetic wave.

Q.4 Find the gradient of the curve $y = 3x^2 - 7x + 2$ at the point (1, -2):

Ans X 1. 1

X 2. -2

√ 4. −1

Question ID: 1860452340

Status: Not Attempted and Marked For Review

Chosen Option: --

Q.5 Consider an interface between two dielectric materials, one with c, 2 while the other has c, 5. If the tangential component of electric field on one side of the interface has a magnitude of 10V.m⁻¹ what is the magnitude of the tangential component of electric field on the other side?

Ans 1. 10V.m⁻¹

× 2. 20V.m⁻¹

X 3. 2V.m-1

X 4 5V.m⁻¹

Question ID: 1860452342 Status: Not Answered

Chosen Option: --

Q.6 The wave impedance of a medium is equal to:

Ans X 1 the refractive index of the medium

the refractive index of the medium divided by the wave impedance of free-space

the wave impedance of free-space divided by the refractive index of the medium

X 4. the wave impedance of free-space

Question ID: 1860452341

Status: Answered

