



## odisha OSSC JE CIVIL MAINS 2015 PAPER

## <u>JE(Civil) (Main) – 2015 – Set – 2</u> Technical Paper

Time:  $1\frac{1}{2}$  hours

Full Marks: 100

Each question carries 1 mark.

		There is negative marking of 0.25 n	nari	k for each wrong answer.
Aı	nswer da	all questions, choosing the correct one rken the appropriate circle using BLU	e fro	om the alternatives suggested and r BLACK BALL POINT PEN.
1.	afte	r collecting:		<ul><li>(3) Milestone chart</li><li>(4) All of these</li></ul>
	(1)	Number of operations  Output of labour		The overall in-charge of an
	(3)	Output of machinery	•	organization at the site responsible
	(4)	All of these		for the execution of the work is:  (1) Executive engineer
2.	The	first stage of construction		(2) Junior engineer $\checkmark$ 3
	(1)	Preparation of estimate		(3) Engineer $\checkmark$
	(2)	Survey of the site		(4) Assistant engineer
	(3)	Initiation of proposal 5.	der.	Low cost, higher volume items
	(4)	Preparation of tender		requires ;
3.	Tim	e and progress chart of a		(1) No inspection
		trustian is known as:		(2) Little inspection —

EV - 1B/8

(1)

(2)

Bar chart

Gantt chart

(4) 100% inspection (3) · High Cost, Low Volumn - Intensive Inspection

Intensive inspection

(3)

# Test Prime

ALL EXAMS, ONE SUBSCRIPTION



70,000+ Mock Tests



600+ Exam Covered



Personalised Report Card



Previous Year Papers



Unlimited Re-Attempt



500% Refund















ATTEMPT FREE MOCK NOW





VICALTY VICALTY

(2)

The reduction in project time normally results in:

- (1) Decreasing the direct cost and increasing indirect cost 1
- (2) Increasing the direct cost and decreasing the indirect cost
- (3) Both increasing the direct cost and indirect cost
- (4) Both decreasing the direct cost and indirect cost
- 7. Target mean strength of M<sub>20</sub> grade of concrete in N/mm<sup>2</sup> is:
  - (1) 26.6
- (1) (2) 28.25
  - (3) 20
  - (4) 0
  - 8. For building project estimate which method is generally used in PWD?
    - (1) Centre line method 💞
- (2) Long wall and short wall method 🛷
  - (3) Crossing method
  - (4) Short wall methods

- Most accurate method of estimation is based on :
  - (1) Building cost index estimate
  - (2) Plinth area estimate
  - (3) Detailed estimate
  - (4) Cube rate estimate
- 10. The method of analysis of distribution system in which domestic supply is neglected and fire demand is considered as:
  - (1) Equivalent method
  - (2) Circle method
- (2)
- (3) Electrical analysis method
- (4) Hardy-cross method ~
- 11. Which type of survey facilitates field observations and the plotting on a sheet simultaneously?
  - (1) Compass surveying
  - (2) Chain surveying
- (1)
- (3) Theodolite surveying
- (4) Plane table surveying ~

EV - 1B/8

(4)

Contd

V+ + V2 (1-n)

- 12. Compared to a level surface, the stopping sight distance on a descending gradient is:
  - (1) Less
  - (2) More ~
- (2)
- (3) Same 69
- (4) Depends on the speed
- 13. The depth of water standing for crop, during the time, the crop grows in the field is defined as:
  - (1) Duty
  - (2) Crop ratio
  - (3) Delta V
- (3)
- (4) Base period
- 14. The bulking of sand occurs due to:
  - (1) Surface moisture
  - (2) Air in voids
  - (3) Capillary action  $\checkmark$  (1)
  - (4) Viscosity
- 15. The distance between two brass rings in a surveyor's chain is:
  - (1) 20 cm
- (1)
- (2) 40 cm
- (3) 1 cm
- (4) 50 cm
- 16. Size of Venturimeter is specified by:
  - (1) Pipe diameter
- EV 1B/8
- (5)

- (2) Throat diameter 🗸
- (3) Angle of diverging section
- (4) Both pipe diameter and throat diameter
- 17. Stream line and path lines always coincide in case of:
  - (1) Steady flow ~
- (1)
- (2) Laminar flow &
- (3) Uniform flow
- (4) Turbulent flow
- 18. A connection which is formed when a wall takes a turn:
  - (1) Lap
- (
- (2) Closer
- (3) Bat
- (4) Quoin
- 19. The type of bond provided in brick masonry for carrying heavy loads is :
  - (1) Flemish bond
  - (2) English bond
- (2
- (3) Zigzag bond
- (4) Dutch bond
- 20. A good building stone should not absorb water more than:
  - (1) 5%
- (1)
- (2) 10%
- (3) 15%
- (4) 20%

(Tum over)

- The main ingredients of Portland 21. cement are:
  - Lime and Silica V (1)
  - Lime and Alumina (2)
  - Silica and Alumina (3)
  - All of these (4)
- Nominal proportion of M<sub>20</sub> grade of 22. concrete:
  - 1:2:4 (1)
- 1:1.5:3 (2)
- 1:1:2 (3)
- (4)1:3:6
- 23. Compound of cement responsible for early strength:
  - $C_2S$ (1)
- - C<sub>3</sub>A (3)
  - $C_4AF$ (4)
- 24. Lime mortar is generally made with:
  - Quick Lime (1)
  - Hydraulic Lime \ (2)



- Fat Lime 8 (3)
- White Lime. (4)
- 25. An instrument used for setting out right angles:
  - Optical square
- (2) Cross staff

- (3)Prismatic compass
- (4) Level
- Line drawn through points of same 26. declination:
  - Agonic line , (1)
  - Isogonic line ~ (2)
  - Aclinic line (3)



- (4)None of these
- 27. Which of the following is a permanent adjustment in compass survey instrument?
  - Adjustment of pivot points (1)
  - Focusing of prism (2)



- Centring < (3)
- (4)Levelling
- 28. The longest line in chain survey:
  - Base line ~ (1)
  - (2)Check line



- Tie line (3)
- (4) All of these
- If the fore bearing of a line AB is 30° 29. and that of line BC is 100°, then the included angle between the lines is:
  - 110° 🦠 (1)

- 130° (2)
- 70° (3)
- 280° (4)





# Crows to eath other - (4) with cave, overchargery

(1)

30.	Two contours of different elevation
	can unite to form one line only in the
	case of:

- (1) Cave
- Overhanging drift >> (2)
- Vertical drift 🔍 (3)
- Both (2) and (3)
- 31. For a tacheometer the additive and multiplying constants are respectively:
  - (1) 0 and 100 >
  - (2)100 and 0
  - (3)0 and 0
  - 100 and 100 (4)
- 32. What is Compound Curve?
  - Two or more arcs of same radii meeting each other at common tangent point
  - Two or more arcs of same radii (2)meeting each other at initial tangent point
  - Two or more arcs of different (3)radii meeting each other at common tangent point '
  - Two or more arcs of different (4)radii meeting each other at different tangent points
- 33. Fly ash is an environment pollutant produced by:
  - (1) Oil refinery



- (3)Hydro electric power plant
- (4)Thermal power plant >

Fertilizer plant

- 34. The base materials for distemper is:
  - (1) Lime

(2)

- (2)Lime putty
- Cement wash (3)



- 35. Turpentine oil is used in paint as a:
  - (1) Base
  - Drier (2)
  - (3)Carrier
- Thinner \
- Which is closest to the purest form of the iron?
  - (1) Cast iron
  - Wrought iron x (2)
    - Pig iron
  - (4) Steel

(3)

- Height of arc is the:
  - (1) Vertical distance between springing line and intrados
  - (2) Perpendicular distance between extrados and intrados 5
  - Perpendicular (3) distance between springing line and extrados
  - (4)None of these

(Tum over)

EV - 1B/8

(7)

- 38. The vertical post placed at the top and bottom end of a flight supporting the hand rail is:
  - (1) Newel post <

Baluster ~

PARTICIPANT PROPERTY.

- (3) Balustrade
- (4) Railing

(2)

- 39. The opening left in flat roofs for lighting purposes is known as:
  - (1) Sky light
  - (2) Gable window
  - (3) Lantern 🗸
- (3)
- (4) Dormer window
- 40. The vertical faces of a door opening which support frame of the door is called:
  - (1) Hold fast
- 2
- (2) Jamb \
  - Dado
- (4) Reveals
- 41. Cavity wall is generally provided for:
  - (1) Heat insulation
  - (2) Damp proofing
  - (3) Sound insulation



- (4) All of these V
- 42. The mortar in which both cement and lime are used as binding materials, is called:
  - (1) Cement mortar



- (2) Lime mortar
- (3) Fire resistant mortar
- (4) Gauged mortar >
- 43. The moisture content in a well seasoned timber is:
  - (1) 5%
  - (2) 10% 🗸

(3)

- (3) 15%
- (4) 20%
- 44. The sum of interior angles of a closed traverse is:
  - (2) (2n-4)180°



- (3) (3n-4)90°
- (4) (3n-4)180°
- 45. The carry over factor in a prismatic member whose one end is fixed is:
  - (1) Zero Pin / hungal
  - $(2) \frac{1}{2} find \checkmark$
  - $(3) \frac{3}{4}$
  - (4) 1
- 46. In cantilever beam, slope and deflection at free end is:
  - (1) Zero



- (2) Maximum \*
- (3) Minimum
- (4) None of these

- Which of the following statements is/are true for a simply supported beam?
  - Deflection at supports in a simply supported beam is maximum
  - (2) Deflection is maximum at a point where slope is zero
  - (3) Slope is minimum at supports in a simply supported beam
  - (4) All of these
  - 48. In moment distribution method, the sum of distribution factors of all the members at any joint is always:
    - (1), Zero ~
    - (2) <1
    - (3) 1
    - (4) >1
  - 49. Which of the following methods of structural analysis is a force method?
    - (1) Slope deflection method
    - (2) Column analogy method (2)

3

- (3) Moment distribution method
- (4) None of these
- 50. The number of slope deflection equations available for a two span continuous beam:
  - (1) 2
- EV 1B/8

- (2) 3
- (3) 4
- (4) Unpredictable
- 51. The bending moment in an arch throughout the span will be zero, if:
  - (1) The arch is parabolic and carries udl throughout the span
  - (2) The arch is circular and carries udl throughout the span
  - (3) The arch is parabolic and carries udl on half of the span
  - (4) The arch is circular and carries udl on half of the span
- 52. In India, the type of traffic used to design pavement is:
  - (1) Low traffic
    - (2) Heavy traffic
  - (3) Mixed traffic flow
  - (4) Very low traffic
- 53. The value of ruling gradient in plains as per IRC recommendation is:
  - (1) 1 in 10
  - (2) 1 in 15
  - (3) 1 in 20

(9)

(4) 1 in 30

(Tum over)

·

北美

(4)

- 54. If the average centre to centre spacing of vehicles is 30 meters, then the basic capacity of the traffic lane at a speed of 60 kmph is:
  - 2,000 vehicles per day
  - (2)2,000 vehicles per hour
  - 2,500 vehicles per hour (3)
  - 2,500 vehicles per day
- 55. The most efficient traffic signal system is:
  - Simultaneous system v (1)
  - (2)Alternate system
  - (3)Flexible progressive system ~
  - Simple progressive system (4)
- 56. Which of the following is the hardest grade of bitumen?
  - 30/40~
  - (2)60/70
  - (3)80/100
  - 100/120 (4)
- 57. The resistance of a material to penetration is:
  - (1)Toughness
  - (2)Hardness \
  - (3)Fatigue
  - Roughness

- The shape of the stop sign according 58. to IRC:
  - (1) Circular
  - (2)Triangular
  - Rectangular (3)





- Running faces of rails . (1)
- Centre of centre of rails (2)
- Outer faces of rails (3)

Inner faces of rails (4)

- According to ICAO, all marking on runways of an airport are:
  - Yellow 5 (1)
  - White > (2)
- (3)Black
- (4) Red
- 61. The duty of a crop is 432 hectares per cumec and the base period of the crop is 100 days. The delta of the crop will be:
  - (1) 100
  - (2)200
  - (3)432
  - (4) 864
- The method of irrigation used for 62. orchards:
  - Free flooding (1)
  - (2) Borer flooding
  - (3)Check flooding
  - Basin flooding

(4)






63.		rigation purposes, the pH value ater should be:	67.	Flow irrigation involves construction of:
	(1)	3 to 6		(1) Weir and barrage
	(2)	6 to 8 (2)		(2) Canal system
	(3)	8 to 11	,	(3) Dam
	(4)	More than 11		(4) All of these
64)		ter-logged land is found suitable ultivation due to:  Ease of tillage for preparation of the field for optimum condi-	68.	What is the process by which water enters the small pore spaces between particles in soil or rock?  (1) Transpiration
		tion of germination		(2) Infiltration (2)
	(2)	Absence of aeration of soil from root zone of the plant		<ul><li>(3) Precipitation</li><li>(4) Sublimation</li></ul>
	(3)	Regular supply of water to plants from the water table by capillary action	69.	In long and short wall method of estimation, the length of long wall is the centre to centre distance between the walls and:
05	. ,	main function of a diversion head		(1) Breadth of the wall
65.		ks of a canal from a river is:		(2) Half breadth of the wall on each side
	(1)	To remove silt		
	(2)	To control floods		(3) One-fourth breadth of the wall on each side
	(3)	To store water		(4) None of these
	(4)	To raise water level		
66,		compared to gravity dams, then dams:  Are costlier	70.	<ul> <li>Which of the following concrete work of the building of specified thickness is measured in square metres?</li> <li>(1) Floors</li> </ul>
	(2)	Are less susceptible to failure		(2) D. P. C. (4)
		d rook foundations		(3) Wall panels
	(3)	- introduction laboure		(4) All of these
	(4)	Nequire 1030 ordina a land		(4) All Oldrese •
E۱	/ – 1E	3/8 (11	)	(Turn over)





- 71. The most reliable estimate is:
  - (1) Cube rate estimate
  - (2) Preliminary estimate
  - (3) Detailed estimate
  - (4) Plinth area estimate
- 72. In gravity canals, F. S. L. is:
  - (1) Always at the ground level X
  - (2) Always below the ground level
  - (3) Generally 4 to 5 meters above the ground level \*\( \)
  - (4) Only a few cm above the ground level X
- 73. In P. W. D., who is the primary disbursing officer who is supplied with cheque books on district treasuries of India?
  - (1) S. D. O.'s
  - (2) Divisional Officer \
  - (3) Chief Minister
  - (4) Manager of Bank
- 74. The built up covered area of a building measured at floor level of any storey is:
  - (1) Covered area
- (9
- (2) Carpet area
- (3) Total area
- (4) Plinth area

- 75. The Damp Proof Course (DPC) of uniform thickness in a building walls of different widths are measured in:
  - (1) m<sup>4</sup>
  - (2)  $m^3$





- (4) m
- 76. In the limit state design as per IS
  456: 2000, the shape of the
  compressive stress block of
  concrete is a combination of
  rectangular and:
  - (1) Elliptical shape



- (2) Circular shape
- (3) Parabolic shape
- (4) Trapezoidal shape
- 77. What is the adoptable maximum spacing between vertical stirrups in an RCC beam of rectangular cross-section having an effective depth of 320 mm?
  - (1) 320 mm



- (2) 240 mm
- (3) 160 mm
- (4) 225 mm



- 78. How is the depth of footing for an isolated column governed?
  - By maximum bending moment
  - (2)By shear force
  - By punching shear (3)
  - (4)All of these



- 79. Which of the following size of the bar cannot be used as longitudinal reinforcement of columns?
  - 10 mm 🗸
  - (2)12 mm



- (3) 16 mm
- (4)None of these
- 80. The ratio of the diameter of reinforcing bars to thickness of slab is:
  - (1)1/8



- (2)1/6
- (3)1/5
- (4)1/4
- Tensile failure occurs in:
  - Balanced section (1)
  - Under reinforced section \ (2)
  - Over reinforced section (3)



- None of these (4)
- 82. Determine the throat thickness (in mm) of a fillet weld of size 5 mm, when the angle between fusion face is 90 degree:

  - 4.5 mm (1)

(Turn over)

- (2) 3.5 mm \$
- (3)2.5 mm
- (4)1.5 mm
- 83. As per IS 800, the lacings of compression member shall be proportioned to resist a total transverse shear S equal to at least:
  - (1) 1% of axial load
  - (2)1.5% of axial load



- 2% of axial load
- 2.5% of axial load
- In a gusseted base, when the end of the column is machined for complete bearing on the base plate, then the axial load is assumed to be transferred to base plate:
  - Fully by direct bearing
  - Fully through fastenings
  - 50% by direct bearing and 50% (3)through fastenings <
  - (4) 75% by direct bearing and 25% through fastenings
- The column splices is used to increase:
  - (1) The strength of the column <
  - (2)The rigidity of the column
  - The length of the column . (3)



(4) The cross-sectional area of the column





- 86. Web crippling in beams generally occurs at the points where:
  - (1) Concentrated load acts
  - (2) Bending moment is maximum
  - (3) Shear force is maximum
  - (4) Deflection is maximum
- 87. Net shear area of a 16 mm bolt at thread (in mm<sup>2</sup>) is approximately equal to:
  - (1) 256
  - (2) 201
- (3
- (3) 157
- (4) 100
- 88. In which treatment unit Schmutzdecke layer is formed?
  - (1) Sedimentation tank
  - (2) Rapid sand filter 🗸
  - (3) Coagulation tank
- (A)
- (4) Slow sand filter
- 89. Standard EDTA solution is used to determine the :
  - (1) Hardness in water



- (2) Turbidity of water
- (3) Dissolved oxygen in water
- (4) Residual chlorine in water
- 90. The average rate of water consumption per head per day as per Indian Standard:
  - (1) 100 litres



(2) 135 litres V

- (3) 150 litres
- (4) 175 litres
- 91. Activated carbon is used for :
  - (1) Removing hardness
  - (2) Removing odour



- (3) Removing colour
- (4) None of these
- 92. The correct sequence of treatment processes in a water treatment plant:
  - (1) Filtration chlorination sedimentation coagulation
  - (2) Chlorination filtration sedimentation coagulation
    - (3) Coagulation filtration sedimentation chlorination ⋉
    - (4) Coagulation sedimentation filtration chlorination
- 93. Sewerage treatment units are designed for:
  - (1) Maximum flow only
  - (2) Minimum flow only
  - (3) Maximum and minimum flow
  - (4) Average flow only



- 94. Most commonly used coagulant is:
  - (1) Alum V



- (2) Ferric sulphate
- (3) Limestone
- (4) Coal



EV - 1B/8



95.	A well oxidized sewage contains	98.	In which system of water supply, water
	nitrogen mainly as :		is supplied only during fixed hours of
	(1) Nitrates		the day?
	(2) Nitrites		(1) Continuous supply
	(3) Free ammonia		(2) Fixed supply
	(4) None of these		(3) Intermittent supply
96.	Biochemical Oxygen Demand		(4) Low supply
	(B. O. D.) of safe drinking water must	99.	In which of the following distribution
	be:		system, the clean water flows entirely
	(1) Nil .		under gravity?
	(2) 5		(1) Gravity system
14	(3) 10		(2) Pressure system
1.1			(3) Combined gravity and pumping
		of ,	system
97.	The P <sub>H</sub> of fresh and septic sewage	_ [	(4) Pumping system
	can be:	100.	O. Grader is used mainly for :
	(1) 3 and 9		(1) Trimming and finishing
	(2) 9 and 3		(2) Shaping and trimming
	(3) 3 and 6 ·		(3) Finishing and trimming
	(4) 8 and 9 V	*	(4) Finishing, trimming and
	(4) Valid V		shaping
		9	
		4	
			그 이번에 가장 있는데 얼마를 하는데 있다면 뭐다.







No.IIE -38/2019 / 3230 /OSSC;

Date: 14. X. 19

## SHORT NOTICE

Pursuant to Advertisement No.4876/OSSC dated 31.10.2015 and Short Notice No. 2535/OSSC dated 09.08.2019 the model Answers to individual questions of Set-1 to Set-4 of Technical Paper of Main Written Examination of Junior Engineer (Civil) -2015 held on dtd. 18.08.2019 has been uploaded in the Commission's website <a href="www.ossc.gov.in">www.ossc.gov.in</a> for information of candidates.

Objections, if any, to the above Model answers uploaded in the website of the Commission are invited from the candidates in writing supported with documentary proof by 5 P.M. of 21.10.2019 both through online mode or in person to be submitted to the undersigned during office hours of the working days. Candidates submitting the objections in the online mode should submit the same to the Official E-mail Id of the Commission 'orissassc@gmail.com'. Objections received beyond the said date & time will not be entertained.

By Order of Commission

SECRETARY





Adda	24	7	STAF	F SE	LECTIC	N COM	/IISSI	ON, B	HUB/	ANES
	OL	M	DDFL AI	NSWER	KEY FOR	JE (Civil)-20	15 (Ma	ain)-Teo	hnical	Paper
	SET-1	SET-2	SET-3	SET-4	ANSWER OPTION		SET-1	SET-2	SET-3	SET-4
	1	16	31	46	4		51	66	81	96
	2	17	32	47	1		52	67	82	97
	3	18	33	48	4		53	68	83	98
	4	19	34	49	2	1	54	69	84	99
	5	20	35	50	1		55	70	85	100
	6	21	36	51	1		56	71	86	1
	7	22	37	52	2		57	72	87	2
	8	23	38	53	2		58	73	88	3
	9	24	39	54	2		59	74	89	4
	10	25	40	55	2		60	75	90	5
	11	26	41	56	2		61	76	91	6
	12	27	42	57	1		62	77	92	7
	13	28	43	58	1		63	78	93	8
	14	29	44	59	1		64	79	94	9
	15	30	45	60	3		65	80	95	10
	16	31	46	61	1		66	81	96	11
	17	32	47	62	3		67	82	97	12
	18	33	48	63	4		68	83	98	13
	19	34	49	64	4		69	84	99	14
	20	35	50	65	4		70	85	100	15 16
	21	36	51	66	2		71	86	1	17
	22	37	52	67	2	-	72	87	3	18
	23	38	53	68	1		73 74	88	4	19
	24	39	54	69	3 ,	- (	75	90	5	20
	25	40	55	70	2	1 _	76	91	6	21
	26	41	56	71	4		77	92	7	22
	27	42	57	72	3		78	93	8	23
	28	43	58	73	1	7	79	94	9	24
	29	44	59	75	2	-	80	95	10	25
	30	45	60	76	2	-	81	96	11	26
	31	46	61	77	2	-	82	97	12	27
	32	47	63	78	3	$\dashv$	83	98	13	28
	33	49	64	79	2	$\dashv$	84	99	14	29
	35	50	65	80	3	-	85	100	15	30
	36	51	66	81	1	1	86	1	16	31
	37	52	67	82	3	-	87	2	17	32
	38	53	68	83	4	-	88	3	18	33
	39	54	69	84	2	-	89	4	19	34
	40	55	70	85	3	-	90	5	20	35
	41	56	71	86	1		91	6	21	36
	42	57	72	87	2.		92	7	22	37
	43	58	73	88	4	_	93	8	23	38
	44	59	74	89	1		94	9	24	39
	45	60	75	90	2		95	10	25	40
	46	61	76	91	2		96	11	26	41
	47	62	77	92	4	7	97	12	27	42
	48	63	78	93	2	7	98	13	28	43
	49	64	79	94	4	7	99	14	29	44
	50	65	80	95	4	^	100	15	30	45
							/	/		

SET-1	SET-2	SET-3	SET-4	ANSWER OPTION	
51	66	81	96	4	
52	67	82	97	4	
53	68	83	98	2	
54	69	84	99	3	
55	70	85	100	4	
56	71	86	1	3	
57	72	87	2	4	
58	73	88	3	2	
59	74	89	4	4	
60	75	90	5	3	
61	76	91	6	3	
62	77	92	7	2	
63	78	93	8	4	
64	79	94	9	1	
65	80	95	10	1	
66	81	96	11	3	
67	82	97	12	2	
68	83	98	13	4	
69	84	99	14	3	
70	85	100	15	3	
71	86	1	16	1	
72	87	2	17	3	
73	88	3	18	4	
74	89	4	19	1	
75	90	5	20	2	
76	91	6	21	2	
77	92	7	22	4	
78	93	8	23	4	
79	94	9	24	1	
80	95	10	25	1	
81	96	11	26	1	
82	97	12	27	2	
83	98	13	28	3	
84	99	14	29	1	
85	100	15	30	4	
86	100	16	31	4	
	_	17	32	3	
87	2	18	33	4	
88	3	19	34	3	
89	5	20	35	2	
90	6	21	36	2	
91	7	22	37	1	
92	8	23	38	2	
93	9	24	39	3	
94	_	_	_	2	
95	10	25	40	_	
96	11	26	41	2	
97	12	27	42	_	
98	13	28	43	3	
99	14	29	44	1	
100	15	30	45	1	