JEE Main 2024 Answer Key Jan 31 Shift 1 (B.E./B.Tech)

| PHYSICS | |
|--------------|---------------|
| Question No. | Answer Key |
| 1 | 9λ |
| 2 | (√3-1R)/2 |
| 3 | 3.6 x 10^13 J |
| 4 | π-2A |
| 5 | D |
| 6 | 4L |
| 7 | В |
| 8 | А |
| CHEMISTRY | |
| Question No. | Answer Key |
| 1 | В |
| 2 | С |
| 3 | 4 |
| 4 | Yellow |

| 5 | u = 0 |
|--------------|------------|
| 6 | D |
| MATHEMATICS | |
| Question No. | Answer Key |
| 1 | Α |
| 2 | 42 |
| 3 | 0 |
| 4 | 4 |
| 5 | 104.28 |

JEE Main 2024 Question Paper Jan 31 Shift 1 (B.E./B.Tech)

JEE Main Physics Questions

Ques 1. Stopping potential is 8 V if wavelength of incident light is λ and it is 2 V for 3λ . Find threshold wavelength.

Ans. 9λ

Ques 2. Two charges Q and 3Q are kept in a line separated by a distance R. Electric field is zero at a distance x from Q. Find the value of x.

Ans. $(\sqrt{3}-1R)/2$


Ques 3. If the mass defect in a nuclear reaction is 0.4gm then find the Q value of the reaction.

Ans. 3.6 x 10¹3 J

Ques 4. Find minimum deviation in a thin prism if refractive index μ = cot(A/2). Here A represents the angle of prism.

Ans.
$$\delta = \pi - 2A$$

Ques 5. Output of given circuit represents which logic gate :




- A. NAND
- B. NOR
- C. AND
- D. OR

Ans. D


Ques 6. Four equal masses m are kept at corners of a square of side

a. If net gravitational force on a mass is given by $(\frac{2\sqrt{2}+1}{32})\frac{Gm^2}{L^2}$. Find the value of a in the terms of L.



Ans. a = 4L

Ques 7. Find the value of m if M = 10 kg. All the surfaces are rough.



- A. 2.5kg
- B. 7.5kg
- C. 12.5kg
- D. 5kg

Ans. B


Ques 8. If the percentage error in measuring length and diameter of a wire is 0.1% each, then the percentage error of the resistance of the wire is :

- A. 0.3% B.
- 0.2% C.
- 0.1%
- D. 0.4%

Ans. A

JEE Main Chemistry Questions

Ques 1. Find out the final product C.



- A. Propan-1-ol
- B. Propan-2-ol
- C. Propene
- D. Propane

Ans. B

Ques 2. Which of the following options contain amphoteric oxide(s) only?

- A. SnO2 and SiO
- **B. SiO2**
- C. SnO₂ and PbO₂
- D. CO and SiO

Ans. C

Ques 3. How many of the following compounds have sp³ hybridized central atoms?

H₂O, NH₃, SiO₂, SO₂, CO, CH₄ and BF₃

Ans. 4

Ques 4. Color of PbI2

Ans. Yellow

Ques 5. Magnetic behavior of Ni2+ with strong ligand

Ans. u = 0

Ques 6. On which factor, electrical conductivity of electrolytic cell does not depend

- A. Concentration of electrolyte
- B. Amount of electrolyte added
- C. Temperature
- D. Nature of electrode

Ans. D

JEE Main Mathematics Questions

Ques 1. Which of the following is most acidic?

A. 10 * 2⁵

B. 10 * 10¹⁶

$$f(x) = \begin{vmatrix} x^3 & 2x^2 + 1 & 1 + 3x \\ 3x^2 + 2 & 2x & x^3 + 6 \\ x^3 - x & 4 & x^2 - 2 \end{vmatrix}$$

D. 5 * 10¹⁶ Ans. A

Ques 2. If

all x

Ans. 42

Ques 3. let 's' be the set of positive integral values of a for which

$$\frac{ax^2+2(a+1)x+9a+4}{x^2+8x+32}<0, \forall x\in R.$$
 Then, the number of elements in 's' is

Ans. 0

Ques 4. If
$$f(x) = \frac{4x+3}{6x-4}, x \neq \frac{2}{3} \text{ and } (f \circ f)(x) = g(x)$$

$$g: R - \left[\frac{2}{3} \to R \to \left\{\frac{2}{3}\right\}\right] \text{ then } (g \circ g \circ g)(4) \text{ is equal to, where}$$

Ans. 4

Ques 5. If the system of linear equations x - 2y + z = -4; 2x + αy + 3z = 5 and 3x - y + βz = 3 has infinitely many solutions then 12 α + 13 β is equal to

