Maximum: 100 marks

Time: 1 hour and 15 minutes

1.	The Sarda	ar Sarovar project is located in		
	(A)	Gujarat	(B)	Uttar Pradesh
	(C)	Orissa	(D)	Madhya Pradesh
2.	Which mi	nistry conducts the decennial census in	India	1?
	(A)	Ministry of Rural Development		
	(B)	Ministry of Human Resource Develop	nent	
	(C)	Ministry of Home Affairs		
	(D)	Ministry of External Affairs		
3.	Who was passed?	the President of Indian National Con	gress	when 'Poorna Swaraj' resolution was
	(A)	Motilal Nehru	(B)	Subash Chandra Bose
	(C)	Gandhiji	(D)	Jawaharlal Nehru
4.	Kolar mir	nes in Karnataka is famous for :		
	(A)	Copper	(B)	Gold
	(C)	Mica	(D)	Cement
5.	Name the	river that flows through silent valley:		
	(A)	Pamba	(B)	Kunthipuzha
	(C)	Manjeswaram River	(D)	Chaliyar
6.	Gandhiji	broke the salt law on :		
	(A)	March 6, 1930	(B)	March 12, 1930
	(C)	April 6, 1930	(D)	April 12, 1930
7.	Who was	the founder of 'Samathwa Samaj'?		
4	(A)	Atmaram Pandurang	(B)	Keshub Chandra Sen
	(C)	Brahmananda Sivayogi	(D)	Vaikunda Swami
		9		

8.	Which is	the longest river in South India	1?	
	(A)	Kaveri	(B)	Krishna
	(C)	Tapti	(D)	Godavari
9.	Telengan	a State was formed on :		
	(A)	June 2, 2014	(B)	June 30, 2014
	(C)	July 22, 2014	(D)	August 15, 2014
10.	SAARC s	ummit of 2014 was held at:		
	(A)	Manila	(B)	Dhaka
	(C)	Kathmandu	(D)	Jakarta
11.	Anamudi	peak is located in which distric	t of Kerala :	
	(A)	Pathanamthitta	(B)	Wayanad
	(C)	Kottayam	(D)	Idukki
12.	Bachpan	Bachao Andolan was started by		
	(A)	Kailash Satyarthi	(B)	Medha Patkar
	(C)	J.L.Kaul	(D)	Dr.Brahma Dutt
13.	"No Caste	, No Religion, No God for man"	Who said the	se words?
	(A)	Sahodaran Ayyappan	(B)	Ayyankali
	(C)	Sree Narayana Guru	(D)	Chattambi Swamikal
14.	Who amor	ng the following was known as "	Shanmughad	asan'?
7.5	(A)	Brahmananda Sivayogi	(B)	Vagbhadananda
	(C)	Chattambi Swamikal	(D)	Vaikunta Swamikal
15.	'Operation	Lehar' was associated with		
	(A)	Phailin	(B)	Katrina
	(C)	Nilofer	(D)	Hud Hud
16.	Who wrote	the book 'Mokshapradipam'?		
	(A)	Sree Narayana Guru	(B)	Brahmananda Sivayogi
	(C)	Poykayil Yohannan	(D)	Chattambi Swamikal
84/2	015		4	

				CONTRACTOR AND A STATE OF THE S
17.	What is th	e position of India in Human Deve	lopment I	ndex 2014?
	(A)	135	(B)	140
	(C)	118	(D)	67
18.	Gandhiji r	net Sree Narayana Guru is :		
	(A)	1920	(B)	1925
	(C)	1928	(D)	1936
19.	Quit India	movement was started after the fa	ailure of:	
	(A)	Simon Commission	(B)	Hunter Commission
	(C)	Cripps Mission	(D)	Cabinet Mission
20.	What is th	ne motto of National Games?		
	(A)	Deeper integration for peace and	prosperity	
	(B)	Get set play		
	(C)	Faster, Higher, Stronger		
	(D)	Diversity shines here		
21.	Specific h	eat is the amount of heat required	to rise the	temperature:
	(A)	By unit degree of a substance		
	(B)	By unit degree of unit mass of sub	ostance	
	(C)	Unit mass by 10 degree		
	(D)	None of the above		
22.	Pulverize	d coal is :		
	(A)	Coal free from ash	(B)	Non smoking coal
	(C)	Coal broken into fine particles	(D)	Coal which burn for long time
23.	The I.P (i	ndicated power) of an engine is alw	ays —	the brake power.
	(A)	less than	(B)	equal to
	(C)	greater than	(D)	none of the above
24.	Volumetr	ic efficiency is the ratio of :		
	(A)	Volume of charge admitted at NT	'P to swep	t volume
	(B)	Total volume to clearance volume	•	
	(C)	Swept volume to clearance volum	ie	
	(D)	None of the above		

25.	Water ha	mmer is developed in a :		
	(A)	Turbine	(B)	Penstock
	(C)	Draft tube	(D)	Surge tank
26.	The time	for half amount of radio active is	otope to dec	ay is known as :
	(A)	Half life	(B)	Radio active decay
	(C)	Rate of decay	(D)	Halving time
27.	Acme thr	ead has ———— degree an	gle.	
	(A)	45 degree	(B)	60 degree
	(C)	29 degree	(D)	90 degree
28.	As steam	expands in turbine :		
	(A)	its specific volume increases	(B)	its pressure increases
	(C)	its boiling point increases	(D)	its temperature increases
29.	$pv^n = con$	stant, It is the relation for polytr	ophic proces	ss, if $n = 0$ then the process become
	(A)	constant volume process	(B)	throttling process
	(C)	constant temperature process	(D)	constant pressure process
30.	Which of	the following enters to the super l	neater of a b	poiler?
	(A)	Hot water	(B)	Super heated steam
	(C)	Wet steam	(D)	Cold water
31.		— is reduced in turning operat	ion.	
	(A)	Length	(B)	Thickness
	(C)	Diameter and length	(D)	Diameter
32.	A hydro el	ectric power station is commonly	constructed	dat:
	(A)	Grass lands	(B)	Desert areas
	(C)	Swamps	(D)	Hilly areas
33.	Morse test	t is conducted to find out the indic	cated power	of:
	(A)	multi cylinder engines	(B)	two stroke engines
	(C)	marine engines	(D)	low speed engine
34.	"Intensity	of pressure at a point in a fluid a	t rest is san	ne in all directions", this law is :
	(A)	Hydrostatic law	(B)	Pascal's law
	(C)	Archimedes law	(D)	Hagen-Poiseuille law

6

A

84/2015

35.	One liter	of water occupies a volume of:		
	(A)	100 cm <sup>3</sup>	(B)	100000 cm <sup>3</sup>
	(C)	$1000 \ { m cm}^3$	(D)	500 cm <sup>3</sup>
36.		of strength of solid to hollow slide diameter D/2 in torsion is:	naft, both h	aving outside diameter D and hollow
	(A)	1/2	(B)	15/16
	(C)	3/8	(D)	1/4
37.	The bendi	ng moment is maximum on a sec	tion where t	the shearing force :
	(A)	changes sign	(B)	is maximum
	(C)	is equal	(D)	is minimum
38.	A structu	re used to dam up a stream or a r	iver, over w	hich the water flows is called:
	(A)	dam	(B)	notch
	(C)	orifice	(D)	weir
39.	The most	efficient air standard cycle is :		
	(A)	Carnot cycle	(B)	Otto cycle
	(C)	Diesel cycle	(D)	Joule's cycle
40.	The funct	ion of an inter cooler in multi sta	ge compress	or is:
	(A)	to increase the quantity of air d	elivered	
	(B)	to make the compression polytr	opic	
	(C)	to protect compressor componer	nts from ove	r heating
	(D)	to cool the air and to minimize	the work of	compression
41.	The brak	e power of an internal combustion	n engine car	be found out with the help of:
	(A)	planimeter	(B)	brake dynamometer
	(C)	calorimeter	(D)	none of the above
42.	The prop		les of differ	ent kinds of fluids are attracted to each
	(A)	Adhesion	(B)	Viscosity
	(C)	Cohesion	(D)	Surface tension

43.	In water	tube boilers:		
	(A)	forced circulation take place		
	(B)	flame and gas flows through the	tube which	ch surrounded by water
	(C)	water passes through the tubes	which are	surrounded by the flame and gases
	(D)	none of the above		
44.	The object	t of producing the draught in boile	er:	
	(A)	to provide the adequate supply o	f air for th	e combustion
	(B)	to exhaust the gases of combusti	on from th	ne combustion chamber
	(C)	to discharge gases of combustion	to the atn	nosphere
	(D)	all of the above		
45.	The effici	ency of a boiler plant —	— with me	chanical draught :
	(A)	increases	(B)	remains same
	(C)	decreases	(D)	None of the above
46.	Venturim	eter is used to:		
	(A)	pressure difference of liquid flow	ing betwee	en two points in a pipeline
	(B)	measure of the pressure of flowing	ig liquid	
	(C)	measure the discharge of liquid f	lowing in a	a pipe
	(D)	measure the velocity of the liquid	l	
47.	The prope	erty of a material which allows it to	be drawr	into smaller section is called:
	(A)	plasticity	(B)	ductility
	(C)	elasticity	(D)	durability
48.	Kinematic	viscosity is the :		
	(A)	ratio of absolute viscosity to the d	ensity of t	he liquid
	(B)	product of absolute viscosity and	mass of lie	quid
	(C)	ratio of density of the liquid to ab	solute visc	osity
	(D)	product of absolute viscosity and	density of	the liquid
49.	Which the	rmodynamic law provide the basis	of temper	ature measurement?
	(A)	I Law of thermodynamics	(B)	II law of thermodynamics
	(C)	Law of conservation of energy	(D)	Zeroth law of thermodynamics
04/9	015			

A

50.	In one	dimensional	flow,	the	flow	
-----	--------	-------------	-------	-----	------	--

(A) takes place in one direction

(B) is steady and uniform

(C) takes place in straight line

(D) takes place in curve

### 51. A cylindrical section having no joint is called:

(A) perfect section

(B) seamless section

(C) homogeneous section

(D) jointless section

#### 52. Cavitation in hydraulic machinery:

(A) causes sudden drop in power output and efficiency

(B) causes noise, vibrations of various parts

(C) reduce discharge of the turbine

(D) all of the above

### 53. The resilience of a material is considered when it is subjected to:

(A) shock loading

(B) fatigue

(C) creep

(D) none of the above

## 54. According to Darcy's formula loss of head due to friction in a pipe is:

(A) 
$$\frac{3flv^2}{2gd}$$

(B)  $\frac{flv^2}{2gd}$ 

(C) 
$$\frac{4flv^2}{2gd}$$

(D)  $\frac{flv^2}{gd}$ 

### 55. Which of the following has no unit?

(A) Kinematic viscosity

(B) Surface tension

(C) Bulk modulus

(D) Strain

### 56. Materials having same elastic properties in all directions is called:

(A) Isentropic material

(B) Uniform material

(C) Elastic material

(D) Practical material

# 57. The ratio of work done per cycle to the stroke volume of the compressor is known as:

(A) Compressor capacity

(B) Mean effective pressure

(C) Compressor efficiency

(D) Compression ratio

58.	The maxi	mum bending moment due	e to moving load	on a	simply supported beam, occurs :
	(A)	at mid span	(B	3) 2	anywhere on the beam
	(C)	at support	(D	)) ı	under the load
59.	The chara	acteristic equation of gas is	:		
	(A)	$R_U = mR$	(B	3)	h = U + pv
	(C)	pv = mRT	æ	)) -	$\frac{\mathbf{p_1}}{\mathbf{T_1}} = \frac{\mathbf{p_2}}{\mathbf{T_2}}$
60.	The mech	anical efficiency of an imp	ulse turbine is :		
	(A)	ratio of actual work avail	lable at turbine (	to th	e energy imparted to the wheel
	(B)	ratio of actual power pro	oduced by the tu	ırbin	ne to the energy actually supplied I
	(C)	ratio of work done on the	wheel to the end	ergy	of the jet
	(D)	none of the above			
61.	C.R.D.I is	related to:	*		
	(A)	Ignition system	(B	) F	<sup>7</sup> uel system
	(C)	Lighting system	(D	) S	Suspension system
62.	E.G.R is e	mployed to reduce:			
	(A)	Noise	(B	) I	Harshness
	(C)	Emission	(D)	) V	Vibration
63.	VVT - i is	employed to operate:			
	(A)	Valve train	(B)	) (	llutch
	(C)	Steering	(D	) V	ariable ventury carburettor
64.	Forward e	fficiency is related to:			
	(A)	Braking	(B)	) S	teering
	(C)	Lighting	(D)	) E	Engine performance
65.	HUD is a	term linked with ———	of the moo	dern	vehicle.
	(A)	Transmission	(B)	) A	erodynamics
	(C)	Handling	(D)	) G	lauges
8419	015		10		

66.	Anti dazzle	e devices are used in ————	system.	
	(A)	Starting	(B)	Indicator
	(C)	Charging	(D)	Head Lamp .
67.	FFV stand	s for:		
	(A)	Flexi fuel vehicle	(B)	Fuel free vehicle
	(C)	Fully forward vehicle	(D)	Front final drive vehicle
68.	Schrader v	valve appears on :		
	(A)	Master cylinder	(B)	Wheel cylinder
	(C)	Wheel assembly	(D) .	Fuel system
69.	EBD is a -	device in modern	vehicle.	
	(A)	Brake assistance	(B)	Stability programme
	(C)	Electronic ignition	(D)	Emission control
70.	Viscous co	upling is employed instead of –		in modern vehicles.
	(A)	Steering	(B)	Differential
	(C)	Brake	(D)	Universal joint
71.	Soot is a t	ype of:		
	(A)	Body panel	(B)	Tyre
	(C)	Ignition	(D)	Emission
72.	Cowl is a	part of:		
	(A)	Body panel	(B)	Indicator
	(C)	Engine	(D)	Transmission
73.	Blow by g	ases can be relieved by :		
	(A)	Pressure cap	(B)	Econostat
	(C)	PCV valve	(D)	Thermostat valve
74.	Expansio	n tank is employed in ———	system	
	(A)	Fuel	(B)	Lubrication
	(C)	Cooling	(D)	Brake

A

10.	A.C. Met	manical pump is employed in :		
	(A)	Fuel system	(B)	Automatic transmission system
	(C)	Air conditioning	(D)	
76.	Pulsation	of clutch pedal is due to:		
	(A)	Loose Rivets		
	(B)	Misalignment of engine and trans	mission	
	(C)	Worn out clutch facing		
	(D)	Incorrect linkage adjustment		
77.	Car can s	stop in gear by using :		
	(A)	Vacuum clutch	(B)	Cone clutch
	(C)	Multi plate clutch	(D)	Fluid flywheel
78.	Torque tr	ansfer at an angle is provided on pro	peller sl	haft by using:
	(A)	Centre support bearing	(B)	Slip joint
	(C)	Universal joint	(D)	Differential
79.	Scrub rad	lius is :		
	(A)	Distance between king pin axis o	n the g	round and wheel contact point on th
	(B)	Inner wheel radius		
	(C)	Outer wheel radius		
	(D)	Turning radius		
80.	The ratio	of side force to the slip angle is calle	d :	
	(A)	Thrust power	(B)	Cornering power
	(C)	Cornering angle	(D)	Steering angle
81.	Torsion ba	ar is used for :		
	(A)	Keeping wheel track	(B)	Protecting the vehicle from crash
	(C)	Vibration damping	(D)	Suspension system
82.	The unbal	anced wheel gives rise the problem o	of:	
	(A)	Wheel wobble	(B)	Side pulling
	(C)	Side wear	(D)	Skidding
84/2	015	12		

12

A

83.	Skidding	of wheels avoided by:		
	(A)	brake compensation	(B)	using cross tyre tread
	(C)	using ABS	(D)	dynamic braking system
84.	Brake cal	iper is:		
	(A)	used in disc brakes		
	(B)	used for measuring brake pad t	hickness	
	(C)	used for brake setting		
	(D)	used for calibrating stopping dis	stance	
85.	The dista	nce between the centre lines of th	e front and	the rear axles is called:
	(A)	Axle distance	(B)	Effective chasis length
	(C)	Wheel base	(D)	Wheel track
36.	Ackerman	nn steering mechanism is used for	r:	
	(A)	reducing steering hardness		
	(B)	keeping equal angle of turn of fr	ont wheels	
	(C)	reducing steering shake		
	(D)	getting correct steering angle		
87.	Top of the	wheel slants vertically outward	is called :	
	(A)	Negative camber	(B)	Positive castor
	(C)	Toe - out	(D)	Positive camber
88.	Over drive	e is used to:		
	(A)	Increase driving comfort		
	(B)	Step up the gear ratio		
	(C)	Double the wheel r.p.m.		
	(D)	Maintain wheel r.p.m. without	engine supp	ort
89.	Volumetri	c efficiency of an engine is increa	sed by:	
	(A)	Using large inlet value		
	(B)	Using more number of piston ris	ngs	
	(C)	Increasing gap between head an	nd piston	
	(D)	Increasing the size of piston		
90.	Cold ratin	g is associated with:		
	(A)	Engine cooling system	(B)	Cooling capacity of oil
	(C)	Battery	(D)	Blower speed of A/c

91.	Spark dev	reloped in spark plug when:		
	(A)	C.B. Point closes	(B)	C.B. Point opens
	(C)	Ignition switch on	(D)	Spark plug is fouled
92.	Turn ratio	is associated with:		
	(A)	Spark plug	(B)	Condenser
	(C)	Carburettor	(D)	Ignition coil
93.	R.P.M. of	an engine can be measured with:		
*	(A)	Odometer	(B)	Dwellmeter
	(C)	Tacometer	(D)	Trip meter
94.	Folo - Th	ru drive employed in :		
	(A)	Starting system	(B)	Suspension system
	(C)	Transmission system	(D)	E.F.I. System
95.	Sealed be	am unit is a part of:		
	(A)	Head lamp circuit	(B)	Chasis frame
	(C)	Independent suspension system	(D)	Over drive system
96.	M.A.C.T.	is related to :		
	(A)	Fitness test	(B)	Accident claim
	(C)	Learners test	(D)	Driving test
97.	Speed lim	it is included in :		
	(A)	Informatory sign	(B)	Cautionary sign
	(C)	Road marking	(D)	Mandatory sign
98.	Super elev	vation is — of a horizon	tal curve	d portion of a road.
	(A)	Convexity	(B)	Inward transverse inclination
	(C)	Positive grade	(D)	Camber
99.	A fare tha	t is proportionate to the distance tra	avelled is	known as:
	(A)	Zonord fare	(B)	Flat fare
	(C)	Reduced fare	(D)	Graduated fare
100.	The Motor	r vehicle to which semi-trailer is att	ached is	called:
	(A)	Tractor	(B)	Grader
	(C)	Articulated vehicle	(D)	Mobile crane