# Test Prime

ALL EXAMS, ONE SUBSCRIPTION



50,000+ Mock Tests



500+ Exam Covered



Personalised Report Card



Previous Year Papers



Unlimited Re-Attempt



500% Refund

















ATTEMPT FREE MOCK NOW



Exam Date: 19.03.2023

इस परीक्षा पुस्तिका को तब तक न खोलें जब तक कहा न जाए।/Do not open this Test Booklet until you are asked to do so.

**TO-32** 

पुस्तिका में पृष्ठों की संख्या : 16

No. of Pages in Booklet : 16 पुस्तिका में प्रश्नों की संख्या : 150

No. of Questions in Booklet: 150

Paper Code: 00

Subject: Occupational Therapy & Others

समय : 02:30 ਬਾਣੇ Time : 02:30 Hours

प्रश्न पुस्तिका संख्या/ Question Booklet No.

अधिकतम अंकः 150

Maximum Marks: 150

प्रश्न पुस्तिका के पेपर की सील / पॉलिथिन बैग को खोलने पर प्रश्न पत्र हल करने से पूर्व परीक्षार्थी यह सुनिश्चित कर लें कि:--.

- प्रश्न पस्तिका संख्या तथा ओएमआर उत्तर पत्रक पर अंकित बारकोड संख्या समान है।
- प्रश्न-पुस्तिका एवं ओ.एम.आर. उत्तर-पत्रक के सभी पृष्ठ व सभी प्रश्न सही मुद्रित हैं। समस्त प्रश्न, जैसा कि ऊपर वर्णित है, उपलब्ध हैं तथा कोई भी पष्ठ कम नहीं है / मदण त्रिट नहीं है।

उपलब्ध हैं तथा कोई भी पृष्ठ कम नहीं है / मुद्रण त्रुटि नहीं है। किसी भी प्रकार की विसंगति या दोषपूर्ण होने पर परीक्षार्थी वीक्षक से दूसरा प्रश्न पत्र प्राप्त कर लें। यह सुनिश्चित करने की जिम्मेदारी अभ्यर्थी की होगी। परीक्षा प्रारम्भ होने के 5 मिनट पश्चात् ऐसे किसी दावे /आपत्ति पर कोई विचार नहीं किया जायेगा।

On opening the paper seal /polythene bag of the Question Booklet before attempting the question paper the candidate should ensure that:-

- Question Booklet Number and Barcode Number of OMR Answer Sheet are same.
- All pages & Questions of Question booklet and OMR answer sheet are properly printed. All
  questions as mentioned above are available and no page is missing/misprinted.

If there is any discrepancy/defect, candidate must obtain another Question Booklet from Invigilator. Candidate himself shall be responsible for ensuring this. No claim/objection in this regard will be entertained after five minutes of start of examination.

#### परीक्षार्थियों के लिए निर्देश

- सभी प्रश्नों के उत्तर दीजिए।
- सभी प्रश्नों के अंक समान हैं।
- 3 प्रत्येक प्रश्न का मात्र एक ही उत्तर दीजिये।
- 4 एक से अधिक उत्तर देने की दशा में प्रश्न के उत्तर को गलत माना जाएगा।
- 5 OMR उत्तर पत्रक इस परीक्षा पुस्तिका के अन्दर रखा है। जब आपको परीक्षा पुस्तिका खोलने को कहा जाए, तो उत्तर पत्रक निकाल कर ध्यान से केवल नीले बॉल पॉइंट पेन से विवरण भरे।
- कृपया अपना रोल नम्बर ओ. एम. आर. उत्तर पत्रक पर सावधानी पूर्वक सही भरें। गलत रोल नम्बर भरने पर परीक्षार्थी स्वयं उत्तरदायी होगा।
- ग्रत्येक गलत उत्तर के लिए प्रश्न अंक का 1/3 भाग काटा जायेगा। गलत उत्तर से तात्पर्य अशुद्ध उत्तर अथवा किसी भी प्रश्न के एक से अधिक उत्तर से है।
- प्रत्येक प्रश्न के चार वैकल्पिक उत्तर दिये गये हैं, जिन्हें क्रमशः 1, 2, 3, 4 अंकित किया गया है। अभ्यर्थी को सही उत्तर निर्दिष्ट करते हुए उनमें से केवल एक गोले अथवा बबल को उत्तर-पत्रक पर नीले बॉल प्वाइंट पेन से गहरा करना है।
- पदि किसी प्रश्न में किसी प्रकार की कोई मुद्रण या तथ्यात्मक प्रकार की त्रुटि हो तो प्रश्न के हिन्दी तथा अंग्रेजी रूपान्तरों में से अंग्रेजी रूपान्तर मान्य होगा।
- 10 मोबाइल फोन अथवा इलेक्ट्रोनिक यंत्र का परीक्षा हॉल में प्रयोग पूर्णतया वर्जित हैं। यदि किसी अभ्यर्थी के पास ऐसी कोई वर्जित सामग्री मिलती है तो उसके विरूद्ध आयोग द्वारा नियमानुसार कार्यवाही की जायेगी। चेतावनी: अगर कोई अभ्यर्थी नकल करते पकड़ा जाता है या उसके पास से कोई अनधिकृत सामग्री पाई जाती है, तो उस अभ्यर्थी के विरूद्ध पुलिस में प्राथमिकी दर्ज कराते हुए राजस्थान सार्वजनिक परीक्षा (अनुचित साधनों की रोकथाम) अधिनियम, 2022 तथा अन्य प्रभावी कानून एवं आयोग के नियमों—प्रावधानों के तहत कार्यवाही की जायेगी। साथ ही आयोग ऐसे अभ्यर्थी को मविष्य में होने वाली आयोग की समस्त परीक्षाओं से विवर्जित कर सकता है।

#### INSTRUCTIONS FOR CANDIDATES

- 1 Answer all questions.
- 2 All questions carry equal marks.
- 3 Only one answer is to be given for each question.
- 4 If more than one answers are marked, it would be treated as wrong answer.
- 5 The OMR Answer sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars carefully with blue ball point pen only.
- Please correctly fill your Roll Number in O.M.R.

  Answer Sheet. Candidate will themself be responsible for filling wrong Roll No.
- 7 1/3 part of the mark(s) of each question will be deducted for each wrong answer. A wrong answer means an incorrect answer or more than one answers for any question.
- 8 Each question has four alternative responses marked serially as 1, 2, 3, 4. You have to darken only one circle or bubble indicating the correct answer on the Answer Sheet using BLUE BALL POINT PEN.
- 9 If there is any sort of ambiguity/ mistake either of printing or factual nature then out of Hindi and English Version of the question, the English Version will be treated as standard.
- Mobile Phone or any other electronic gadget in the examination hall is strictly prohibited. A candidate found with any of such objectionable material with him/her will be strictly dealt as per rules.

Warning: If a candidate is found copying or if any unauthorized material is found in his/her possession, F.I.R. would be lodged against him/her in the Police Station and he/she would liable to be prosecuted under Rajasthan Public Examination (Prevention of Unfair means) Act, 2022 & any other law applicable and Commission's Regulations. Commission may also debar him/her permanently from all future examinations.

उत्तर पत्रक में दो प्रतियां हैं— मूल प्रति और कार्बन प्रति, परीक्षा समाप्ति पर परीक्षा कक्ष छोड़ने से पूर्व परीक्षार्थी उत्तर पत्रक की दोनों प्रतियां वीक्षक को सौंपेंगे, परीक्षार्थी स्वयं कार्बन प्रति अलग नहीं करें। वीक्षक उत्तर पत्रक की मूल प्रति को अपने पास जमा कर, कार्बन प्रति को मूल प्रति से कट लाईन से मोड़ कर सावधानी पूर्वक अलग कर परीक्षार्थी को सौंपेंगे। परीक्षार्थी कार्बन प्रति को अपने साथ ले जायेंगे।





1.	Whi	ich of the following is not a preparatory task?			
	(1)	Strength training with therabands	(2)	Sorting towels on linen cart	
	(3)	Opening and closing various sized jars	(4)	Use of physical agent modalities	
2.	Diet	tz stages of cancer rehabilitation includes all, e	xcept		
	(1)	Supportive rehabilitation	(2)	Restorative rehabilitation	
	(3)	Preventive rehabilitation	(4)	Compensatory rehabilitation	ļu
3.	Vita	amin synthesized De novo by metabolism in the	e bod		
	(1)	Pantothenic acid	(2)	Folic acid	Anna Banar
	(3)	Niacin	(4)	Vit B <sub>12</sub>	0
4.	Whi	ich of the following muscle is not a part of sup-	erfici	al group of back muscles?	***
	(1)	Subscapularis	(2)	Rhomboid minor	
	(3)	Latissimus dorsi	(4)	Trapezius	
5.	Whi	ich of the following is the correct definition of	Loco	motor Disability?	
	(1)	A person's inability to fulfil his responsibiliti	es	•	
	(2)	A person's inability to participate in social ac	tiviti	es	
	(3)	A person's inability to perform daily activitie	S		
	(4)	A person's inability to execute distinctive act	ivitie	s associated with movement of self and ob	jects
		resulting from affliction of musculoskeletal o	r ner	vous system or both	
6.	Whi	ich phase of sports injury rehabilitation represe	nts fi	inctional integration?	
	(1)	Phase one	(2)	Phase two	
	(3)	Phase three	(4)	None of the above	
7.	Fast	test way to resynthesize ATP during exercise is	3 -		
	(1)	Phosphocreatine breakdown	(2)	TCA Cycle	
	(3)	Glycogenolysis	(4)	Glycolysis	
8.		ere acute respiratory syndrome is caused by -		·	
	(1)	HINI	(2)	RSV	
	(3)	Parainfluenza virus	(4)	Corona virus type	
9.	-	pose of Rehabilitation is -			
	(1)	Minimize disability	(2)	Minimize Handicap	į.
	(3)	Lead to a useful life within his/her limitation		All of the above	
10.		ich of the following is the ADL - focused Occu			Į
	(1)	Activity card sort	(2)	Arnadottir Occupational Therapy	G
	(0)			Neurobehavioural Evaluation (A-One)	
	(3)	Arm Motor Ability test	(4)	The Assessment of Motor and Process	skills
11.	-		, .	(AMPS)	
11.		ected complication in a patient of severe burn			
	(1)	Cardiogenic shock	(2)	Anaphylaxis	
	(3)	Hypovolemic Shock	(4)	Anaemia	
12.		ence that focuses on society, human social beha		, pattern of social relationship, social intera	ction
		aspects of culture associated with everyday lif			
	(1)	Psychiatry	(2)	Sociology	
	(3)	Anthropology	(4)	Psychology	
13.	In A	Apoptosis -			
	(1)	Plasma membrane is disrupted	(2)	Invariably pathologic	
	(3)	Cell size is enlarged	(4)	Cellular content is intact	



14.	Wh	ich of the following is true regarding Gower's	sign?	•				
	(1) Patients with proximal weakness involving the pelvic girdle muscles							
	(2) The patient usually assumes a four-point stance on knees and hands							
	(3)	Both 1 and 2						
	(4)	Seen in Facioscapulohumeral muscular dystre	ophv					
15.		dmann's area no. 4 of brain represents -	1 2					
	(1)	Primary sensory area	(2)	Premotor area				
	(3)	Primary motor cortex area	(4)	Sensory somatic association area				
16.	Reh	abilitation surgeries done in patient with cereb	ral pa					
	(1)	Adductor tenotomy	(2)	Laminectomies				
	(3)	TA lengthening	(4)	Hamstring fractional lengthening				
17.	Whi	ich of the following is the best indicator of care	diopu	llmonary fitness?				
	(1)	Oxygen pulse	(2)	Maximum oxygen capacity				
	(3)	Respiratory quotient	(4)	Anaerobic threshold				
18.	Whi	ich of the following is true regarding neuropra	xia?					
	(1)	Specific type of nerve injury where only the	axon :	is physically disrupted, with preservation of	the			
		enveloping endoneurial and other supporting	conn	ective issue structures				
	(2)	Complete disruption of the axon and all so	uppor		the			
		endoneurium, perineurium, and epineurium a	re no	longer in continuity				
	(3)	Severance of entire nerve						
	(4)	Mild degree of neural insult that results in I segment	block	age of impulse conduction across the affect	ted			
19.	As ·	per 'Maslow's self actualisation theory', whi	ich o	f the following is not a character of 'ontin	กลใ			
		ple'?		Total wing is not a bilatown of opini				
	(1)	Accepts conformity to the culture	(2)	Spontaneous, autonomous, Independent				
	(3)	In tune with themselves, their inner beings	(4)	Open to experience with full concentration	ion			
20	_			and total absorption				
20.		ial problems of disabled -						
	(1)	Discrimination	(2)	Inadequate data and statistics				
	(3)	Poor implementation of policies and schemes						
21.		valence of sensory processing problems in auti-	sm sp	pectrum disorder is -				
	(1)	70-80%	(2)	50-60%				
	(3)	60-70%	(4)	80-90%				
22.	Whi	ich of the following is the robotic device used t	for up	pper limb rehabilitation?				
	(1)	Lokomat	(2)	ARMin robot				
	(3)	MIT-MANUS	(4)	Both 2 and 3				
23.	Fun	ctional Independence Measure (FIM) has -		farmed .				
	(1)	18 activities	(2)	15 activities				
	(3)	10 activities	(4)	20 activities				
24.	Asv	mmetrical Tonic Neck Reflex (ATNR) disappo	ears a	No. which				
	(1)	3 weeks	(2)	3 months				
	(3)	4 months	(4)	15 months				
	<b>\-/</b>	, ALAVARUEU	1.1	12 mond				



Work hardening is defined as -(1) Physical conditioning alone, which covers strength, aerobic fitness, flexibility, coordination and endurance and generally involves a single discipline (2) Formal, multidisciplinary programs for rehabilitating an injured worker (3) Addresses human performance and well being in relation to one's job, equipment, tools and environment (4) Defines the actual demands of the job, whereas ergonomic evaluations and hazard assessment focus more on work practice and risk for injury secondary to postural or manual material-handling extremes or excesses Special sensory components of cranial nerves are not associated with -(1) Vagus nerve (2) Facial nerve (3) Trigeminal nerve Olfactory nerve 27. Hand knee gait is commonly due to -(1) Weakness of hamstring muscle Weakness of quadriceps (3) Weakness of plantar flexors (4) Lack of balance on that side Smallest functional spinal unit constitutes two vertebral bodies, disc, facet joints and ligaments at all vertebral levels, except -(1) C7-T1 (2) L5-S1 (3) C1-C2 (4) T12-L1 29. Which of the following is not an action of Tibialis Anterior? (1) Dorsiflexion of the foot Maintains lateral longitudinal arch of the foot (3) Inversion of the foot Keep the leg vertical while walking on an uneven ground 30. Modified Rankin Scale level 2 devotes -(1) Slight disability (2) Severe disability (3) Moderate disability (4) No significant disability 31. Autosomal recessive familial cancer syndrome is -(2) (1) Tuberous sclerosis Ataxia-telangiectasia (3) Cowden syndrome Neurofibromatosis 32. Dyslexia affects what -(1) Eating Reading and learning (3) Being able to speak (4) Ability to play sports Preferred method of sterilisation for thermometer is -(1) Hot air oven (2) Autoclave (3) Gamma radiation Alcohol What is true regarding Ground Reaction Force (GRF)? (1) An equal and opposite force that acts upward from the ground on the foot (2) When the line of action of the GRF lies at a distance from the centre of rotation of a joint, it creates an external moment (3) There is no GRF in swing phase (4) All of the above Which of the following are the quality of life measures used in a pediatric patient? (1) Pediatric Quality of Life Inventory (PedsQL) self-report and parent-proxy questionnaire (2) Child Health Questionnaire (CHQ) self-report and parent-proxy questionnaire

(4) Both 1 and 2

(3) American Association Mental Deficiency Adaptive Behaviour Scale 35



36.	Flue	ent speech is present in -		
	(1)	Global Aphasia	(2)	Wernicke's Aphasia
	(3)	Dysarthria	(4)	None of the above
37.	Spec	ech and language pathologist helps the patient	in the	e area of all, except -
	(1)	Cognitive training	(2)	Swallowing assessment
	(3)	Vestibular rehabilitation	(4)	Vocal re-education
38.	Sens	sory integration frame of reference focuses on	all ex	ccept -
	(1)	Tactile sensations	(2)	Proprioceptive sensations
	(3)	Visual sensations Co	(4)	Vestibular sensations
39.	Trar	nslation process is -		
	(1)	m-RNA is translated from 5' to 3' end	(2)	m-RNA is translated from 3' to 5' end
	(3)	DNA is translated to m-RNA	(4)	An internuclear process
40.	Ente	erotoxin superantigen related with staphylococ	cus a	ureus can cause -
	(1)	Food poisoning	(2)	Toxic shock syndrome
	(3)	Multiple sclerosis	(4)	All of the above
41.			ng is	most often used for informing rehabilitation
	_	erts?	(0)	
	(1) (3)	Mastos McNevin	(2) (4)	Fitts and Posner's
42.		putation through Elbow joint is -	(+)	Haggard
	(1)	Below elbow amputation	(2)	Elbow disarticulation
	(3)	Krukenberg amputation	(4)	Transhumeral amputation
43.	Mai	n objective/s of community-based rehabilitation	on are	·-
	(1)			e their physical and mental abilities, to access
		at large	ome a	ctive contributors to the community and society
	(2)	_	the h	uman rights of disabled people through changes
		within the community, for example, by remo	ving l	parriers to participation
	(3)	Identifying opportunities to alleviate the fi	inanci	ial burdens faced by the family, such as the
	(4)	medication subsidy Both 1 and 2		
44.	The	range of motion of the subtalar joint in norma	l gait	cycle includes inversion of approximately how
		y degrees?	Ū	
	(1)	10 degrees	(2)	20 degrees
45.	(3)	40 degrees	(4)	30 degrees
43.	(1)	ial nerve injury at spiral grove represented by Abnormal sensation in lateral aspect of the	ан, ез (2)	kcept - Wrist drop
	(1)	dorsum of hand	(2)	wrist drop
	(3)	Brachioradialis reflex is diminished or absen	t (4)	Elbow extensors are involved
46.	Whi	ich of the following assessment and intervention	on tec	hniques are correctly matched?
	(1)	Remedial retraining approach – Assessment	of mo	otor and process skills
	(2)	Remedial retraining approach - Loewenstein	Occi	ipational therapy Cognitive assessment
	(3)	Compensatory Rehabilitative approach – Ran		
	(4)	Compensatory Rehabilitative approach – Riv	erme	ad Behavioural Memory test





47.	Best	t test for screening of cervical cancer is -		
	(1)	Pap smear	(2)	Exfoliative cytology
	(3)	Immunohistochemistry	(4)	Histology
48.	A ta	p on the tendon of triceps posterior to the elbo	w tes	t mainly -
	(1)	C <sub>5</sub>	(2)	C <sub>7</sub>
	(3)	C <sub>8</sub>	(4)	C <sub>6</sub>
49.	All o	ctional Status in patients with Rheumatoid Artl	hritis	<del>-</del>
	(1)	Class IV – Not able to perform usual self care	•	
	(2)	activities		ties, but limited in vocational and avocational
	(3)	activities		ocational activities, but limited in avocational
	(4)	Class I - Completely able to perform usual ac		
50.		frequency of involvement of foot joints in Cha	ircot :	neuropathy, all of the following are correct,
	exce	<del>-</del>	(2)	Internal 400
	(1) (3)	Tarsal – 24% Tarsometatarsal – 30%	(4)	Interphalangeal – 40%  Metatarsophalangeal – 30%
51.		sgow Coma scale ranges from -	(4)	Wetatarsopharangear – 30%
•			(2)	1-15
		0-15	(4)	
	-	3-15		None of the above
52.		_	be d	livided into four overlapping phases, all of the
		owing are correct, except -		
	(1)	Phase I: Acute care phase lasting more than	(2)	Phase IV: Reconstructive phase
		1 week		
	(3)	Phase III: Inpatient and outpatient	(4)	Phase II: Surgical and postoperative phase
		rehabilitation phase		food:
53.	All	of the following are Lymphedema treatment st	rateg	ies, except -
	(1)	Surgical treatment		
	(2)	Compression garments and lymphedema wra	pping	g techniques Co
	(3)	Gentle exercise paired with diaphragmatic bro	eathir	ng
	(4)	-		on, and Complete Decongestive Therapy (CDT)
54.	Aut	ism spectrum disorder -		
	(1)	Typically appears in 1st year of life	(2)	Significantly affects person's ability to communicate
	(3)	Frequently associated with usual behaviour	(4)	All of the above
55.		neral fertility rate is -		
	(1)	Live birth per one lakh reproductive age	e (2)	Live birth per 1000 reproductive age women
	(-)	women per year	<b>-</b> ( )	per year
	(3)	Live birth per 1000 reproductive age women	(4)	Live birth per one lakh reproductive age women
56.	Pra	xis is -		
	(1)	Ability to conceive	(2)	Ability to plan
	(3)	Ability to organise	(4)	All of the above





57.	Joint	protection includes all, except -		
		Use weakest joints available	(2)	Avoid positions of deformity
	(3)	Use joints in their most stable anatomic & functional plane	(4)	Respect pain
58.	Roh:	ath technique uses all, except -		
	(1)	Kinesthetic senses	(2)	Vestibular senses
	(3)	Tactile senses	(4)	Proprioceptive senses
59.	Whi	ch of the following are true regarding psychod	ynan	ic therapy?
	(1)	ourselves from anxiety, and interact with other	rs	he way we experience current events, protect
	(3)	life	ons r he co	night engage in self-defeating behaviours urage to be, and the importance of meaning in
	(4)	Both 1 and 2		
60.		myotrophic Lateral Sclerosis, all of the follow		
		Phase I – patient is completely independent	(2)	-
	(3)	Phase II – patient is partially independent	(4)	
61.		ch of the following best defines the mid stance		
	(1)	From flat foot position until the opposite foot		<del>-</del>
		From initial contact of the opposite foot and e		— Limit (A Limit
	(3)	From the time the opposite foot is lifted until	the i	osilateral tibia is vertical
	(4)	None of these		
62.		centage of disability in stroke is calculated using		N 15 15 11 G 1
	(1)	McGill Stroke Scale	(2) (4)	Modified Rankin Scale
63.	(3)	Modified Barthel Scale		Disability Rating Scale
00.		ch of the following are components of cognitive rder?	e den	avioral therapy in attention deficit hyperactivity
	(1)	Task analysis and anticipation of difficulties	(2)	Exploration and selection of task specific strategies
	(3)	Application of the strategy of the task and its effectiveness	(4)	Modeling, role-playing, and self-instruction
64.	The	centre of gravity of body is located -		
	(1)	5 cm in front of S <sub>1</sub> vertebrae	(2)	5 cm in front of lumbosacral junction
	(3)	5 cm anterior to S <sub>2</sub> vertebrae	(4)	5 cm posterior to body of S <sub>2</sub> vertebrae
65.	Psy!	llium belongs to which category of drugs used	for c	onstipation?
	(1)	Osmotic purgatives	(2)	Stimulant purgatives
	(3)	Stool softener	(4)	Bulk forming
66.	For	a person with low back pain, what is the best a	advic	e that an Occupational therapist gives?
	(1)	Maintain a high chair	(2)	Take breaks every 1 hour
	(3)	Maintain the hips and knees at 120 degree angle	(4)	Change position every 30 minutes
67.	Afte	er total shoulder replacement -		
	(1)	Avoid shoulder internal rotation past 30°	(2)	Avoid shoulder extension past 15°
	(3)	Avoid shoulder internal rotation past 15°	(4)	Avoid shoulder extension past 30°



68.	Psy	chological issues seen after burn injury -		
	(1)	PTSD	(2)	Adjustment disorder
	(3)	Depression	(4)	All of the above
69.	Afte	r injury, proliferation phase of wound healing	starts	s on -
	(1)	3 <sup>rd</sup> day	(2)	3 <sup>rd</sup> week
	(3)	3 <sup>rd</sup> month	(4)	None of the above
70.	Whi	ch of the following is true regarding Finkelstei	in tes	t?
	(1)	It is done for de Quervain's tenosynovitis	(2)	It is done for Lateral epicondylitis
	(3)	It is done for scapholunate stability	(4)	It is done for ligamentous laxity in hand
71.	First	t carpo metacarpal joint is a type of which join	t?	
	(1)	Ball and socket joint	(2)	Ellipsoid joint
	(3)	Saddle joint	(4)	Pivot joint
72.	Unit	ted Nations General Assembly adopted its conv	venti	on on the Rights of Persons with Disability
	on -			
	(1)	4 <sup>th</sup> July, 1996	(2)	13 <sup>th</sup> December, 2006
	(3)	1 <sup>st</sup> October, 2007	(4)	4 <sup>th</sup> July, 1995
73.		e attenuated vaccine is -		
	(1)	BCG	(2)	HBV
	(3)	Rabies	(4)	Influenza E
74.		imum percentage in "Rule of Nine" is g <mark>iven</mark> to	) –	
		Lower back	(2)	Head
	(3)	Hand	(4)	Genitals
75.			speci	fically used measure to assess the clinical status
		Iultiple Sclerosis?		
	(1)	Kellgren Lawrence scale	(2)	FAM .
	(3)	FIM	(4)	Kurtzke's Expanded Disability Status Scale
76.		of the following are indication <mark>s of p</mark> osterior lea	-	
	(1)	To treat stance phase second rocker deficience	ies as	s they can control dynamic equinus in stance
	(2)	To maintain knee extensor couple		
	(3)	Prevent drop foot in swing phase and ensur	re ap	propriate prepositioning of the foot for initial
		contact		ŠO
	(4)	They facilitate the storage of energy		
<b>77.</b>	198	8 Revised American Rheumatism Association	Crite	ria for Classification of Rheumatoid Arthritis
		mostic criteria, which of the following statement		
	(1)	<del>-</del>		at least 30 mins before maximal improvement
	(2)		-	tissue swelling or fluid (not bony overgrowth
	ν-,	-		int areas [right or left] PIP, MCP, wrist, elbow,
			ле јо	ant areas [right of lext] FIF, MCF, Wilst, Cloow,
	/2\	knee ankle, and MTP joints)		
	(3)	Both 1 and 2	. 3.5	On nm···
78.	(4)	At least 2 joint areas swollen as above in wris	st, IVI	CP or PIP joint
70.		at describes a Boutonniere deformity?		
	(1)	Flexion of MCP, PIP and DIP joints	(2)	Flexion of PIP joints with extension of DIP joints
	(3)	Extension of PIP joints with flexion of DII joints	(4)	Extension of MCP and PIP joints with flexion of DIP joints

#### ~ Adda 247



What is Toe-touch-weight bearing technique, which is practiced after knee and hip replacement? No weight at all can be placed on the extremity involved Only the toe can be placed on the ground to provide some balance while standing - 90% of the weight is still on the unaffected leg (3) Only 50% of the person's body weight can be placed on the affected leg (4) Clients are allowed to judge how much weight they are able to put on the affected leg without causing pain that may limit function Which of the following is the primary outcome measure of OT services in Alzheimer's disease? (1) Katz Activities of Daily Living Scale (2) Functional Behaviour Profile (3) Instrumental Activities of Daily Living Scale (4) The Activities of Daily Living Inventory 81. Sarcomere includes -(1) I band + 2 (half of A band) Only A band (4) (3) Only I band A band + 2 (half of I band) What is the correct definition of light work? (1) Exerting up to 20 lb of force occasionally, up to 10 lb of force frequently, or a negligible amount of force constantly to move objects (2) Exerting up to 10 lbs of force occasionally (3) Exerting 20 to 50 lbs of force occasionally, 10-25 lb of force frequently, or greater than negligible and up to 10 lb of force constantly to move objects (4) Exerting 50-100 lb of force occasionally, 25-50 lb of force frequently or 10-20 lb of force constantly to move objects Which of the following types of cerebral palsy is most common? (1) Flaccid (3) Hemiparetic (4) Dyskinetic How much energy is required by a person to walk with crutches or braces? (1) 6-7 MET (2) 7-8 MET (3) 3-4 MET (4) 4-5 MET Clinical presentation of Cauda Equina Syndrome are all, except -(1) Increased tone of lower extremities (2) Groin paresthesia Weakness of lower extremities (3) Areflexic bowel and bladder Pushing a table is an example of -Non-Prehensile movement (1) Protective movement (3) Prehensile movement Manipulative movement 87. Duchenne muscular dystrophy includes all, except -(1) X linked recessive (2) Autosomal recessive (4) Pseudohypertrophy (3) Defect in dystrophin gene Match List-I with List-II and select the correct answer by using the codes given below the lists -List-I A. Shoulder Flexion 1. Latissimus dorsi B. Shoulder Extension 2. Infraspinatus C. Shoulder Medial Rotation 3. Clavicular head of Pectoralis major D. Shoulder External Rotation 4. Pectoralis major Code: (1) A-2, B-4, C-1, D-3 (2) A-3, B-2, C-1, D-4 (3) A-3, B-1, C-4, D-2 (4) A-2, B-1, C-3, D-4





89.	Whi	ch of the following is not a Gait determinant?		•	
	(1)	Pelvic tilt	(2)	Pelvic rotation	
	(3)	Knee extension in stance phase	(4)	Foot & knee mechanism	
90.	Ban	aboo spine is seen in -			
	(1)	Rheumatoid Arthritis	(2)	Reiter's Syndrome	
	(3)	Spinal Muscular atrophy	(4)	Ankylosing Spondylitis	j <sub>ero</sub> l
91.	Occ	upational therapist evaluation in burn patient co	onstit	utes which of the following points?	ACCUSES.
	(1)	Preinjury body structure and function	(2)	Past performance skills and patterns	erasi tree
	(3)	Preinjury personality traits and psychological	(4)	All of the above	
92.	16	status			
<b>U</b>		cimum energy expenditure while using prosther	(2)	Unilateral below knee prosthesis	
		Unilateral Syme's prosthesis Unilateral above knee prosthesis	(4)	Unilateral hip disarticulation prosthesis	
93.		text is –	(.,	Official inputsatuculation prostices	
	-	tiext is — The circumstances in which an event occurs, a	cettin	20	
		The part of text or statement which surrounds			
		meaning without shaping or controlling influen	-	Total Word of Passage and determines it is	
		a and b are false	(2)	a and b are true	
		a is false, b is true	(4)	a is true, b is false	a.
94.		ebrospinal fluid is present in -		38	結
		Ventricles of brain	(2)	Cisterns around the outside of brain	(#\ <sup>*</sup>
	(3)	Subarachnoid space	(4)	All of the above	
95.		at is Occupational therapy practice framework?			
	(1)			rom the dynamic transaction among client, th	ıe
		context and the activity		-	
	(2)	It defines interaction between person and	the	environment, affects human behaviour ar	ıd
		performance, and that performance cannot be	unde	erstood outside of context	
	(3)	It defines the relationship between the person	and	the environment as an action oriented toward	ls
		an object			* *
	(4)	Both 1 and 2			C.
96.		at are the goals of a wheelchair seating system?			Control
		Maximize functional independence with activ	rities	of daily living	Section 1
		Minimize the risk of secondary injuries			Q. U
	(3)	Correct or accommodate for skeletal deformit	ties a	nd ensure comfort	
	(4)	All of the above			
97.		ich of the following best describes eccentric co			
	(1)	They are muscle shortening contractions	(2)	They have high metabolic cost	
	(3)	Slow eccentric contractions generate the leas	t (4)	They cause more tissue damage than	
		amount of force		concentric contractions	
98.		poses of therapeutic exercises are all, except -	<b>(0)</b>		
		To increase muscle power	(2)	To maintain contractures	
	(3)	To remediate ROM deficits	(4)	To increase work tolerance	
99.		ich of the following classification system div	vides	nerve injury into Neurapraxia, Axonotmesi	.S,
		rotmesis?			
	(1)	Seddon-Sunderland	(2)	Seddon	
	(3)	Lundborg	(4)	Sunderland	

### \* Adda 247



100.	Wha	t are the two important measurable landmarks	of re	
	(1)	Post traumatic amnesia	(2)	Emergence from vegetative state to minimally conscious state
		Eye opening	(4)	Both 1 and 2
101.		tiple sclerosis affects -		
	(1)	Terminal branches	(2)	Axon
		Myelin sheath	(4)	Dendritic receptors
102.	As p	er James - Lange theory of emotions, correct	seque	ence of events in emotional states are -
		Ve notice our reaction	.•	
		We perceive the situation that will produce emo We react to this situation	ouon	S
		c, b, a	(2)	c, a, b
		b, c, a	(4)	a, b, c
103.		econd order lever mechanism, the arrangement		۵, ۵, ۵
				Fulcrum in the middle, weight effort point on
		points are on either end		either end
	(3)	Effort point in middle, weight and fulcrum are	(4)	None of the above
		on either end		
104.			ion C	Classification system in Cerebral palsy are true,
	exce	_	337-1	ling Outlings 開於回
		Level 2: Walks Without Devices, Limitations Level 1: Walks Without Restriction, Limitation		— "HELLERY
		Level 4: Very Limited Self-Mobility, Even w		- 111
		Level 3: Walks with Devices, Limitations Wa		<del>-</del> -
105.		ch of the following is false for orthosis?	1	
		Flexible deformity cannot be corrected by	(2)	Leaf spring orthosis recoils to assist opposite
		orthoses		desired motion
400	(3)	3	(4)	Orthoses utilises forces to limit movement
106.		owing are risk factors for osteoporosis, except		
	(1) (3)	Smoking  Physical in a strict.	(2) (4)	Testosterone depletion
107.		Physical inactivity  1 steppage gait occurs due to -	(4)	Dopamine depletion
	_	• •	(2)	Sural nerve injury
		Femoral nerve lesion		(carl
400	(3)	Lateral Cutaneous nerve lesion	(4)	Peroneal nerve lesion
108.		LUND and BROWDER chart is used to asses		
	(1)	The extent of burned body surface area in children	(2)	The extent of grafting needed for the Burn
	(3)	The extent of Rehabilitation needed for the	(4)	The extent of splinting needed for the Burn
	.,	victim	` '	and officer of opinions modern to the Beaut
109.	Ope	n palm or pancake position for hand splinting	in pa	lmar burns is best described as -
	(1)	Wrist extension, MP joint extension, IP join	t exte	ension, digital abduction, and thumb abduction
		and extension		
	(2)	. •	tensi	ion, digital abduction, and thumb abduction and
	(2)	extension	<b>ч</b> .	and the second of the second o
	(3)	Wrist extension, MP joint extension, IP joint extension	пехі	on, digital abduction, and thumb abduction and
	(4)		f ext	ension, digital abduction, and thumb adduction
	٧٠/	and flexion	LUAU	onorm, anguar accarcacy, and anumo accuration



110.	Whi	ch of the following is a non modifiable risk fa	ctor f	or coronary artery disease?
	(1)	Diabetes Mellitus	(2)	Physical activity
	(3)	Obesity	(4)	Age
111.	Wha	at does Knox Preschool play scale measures?		
	(1)	Gross motor, exploration, manipulation, construction, imitation	(2)	Imagination, dramatisation, music books, territory, interest
	(3)	Purpose, attention, co-operation and language	(4)	All of the above
112.	In a	comatose patient, which of the following	stat	ements is correct regarding upper extremity
	posi	tioning in wheelchair?		
	(1)	Scapulae in a neutral position (neither elevate	d no	r depressed)
	(2)	Shoulders slightly externally rotated and abdu	ucted	
	(3)	Elbows in a neutral position of slight flexion a functional position	with	forearm pronation, and the wrists and digits in
	(4)	All of the above		
113.	Tran	nsient Ischemic Attack (TIA) recovers in -		
	(1)	Less than 24 hrs	(2)	Less than 72 hrs
	(3)	Less than 48 hrs	(4)	More than a week
114.		ngle or patellofemoral angle is -		
	Æ	Line from ISIS to tibial tuberosity and from t	ibial	tuberosity to midpoint of natella
	(2)	Line from ASIS to midpoint of the patella an		
	(3)	Line from Hip joint to patella and from patell		
	(4)	Midpoint of patella and midpoint of acetabul		•
115.		•	\ -	d Statistical Manual of Mental Disorder, Fifth
		tion: DSM-5 defines substance abuse is -	ııç aı	id Statistical Manual of Michael Disorder, Their
	(1)	Failure to fulfill major role ob <mark>ligations at wo</mark>	rk, sc	hool or home
	(2)			Samuel Control of the
	(3)	Substance-related legal problems		
	(4)	All of the above		<u> </u>
116.		o main progressional forces in normal gait cycl	e -	
		Forward fall of the body weight	(2)	Generated by the contralateral swinging limb
	(3)	Both 1 and 2	(4)	Centre of gravity
117.		les used for spasticity assessment -	<b>\</b> -7	Condition of gravity
	(1)	Modified Ashworth Scale	(2)	Tardieu Scale
	(3)	Both 1 and 2	(4)	Modified Rankin Scale
118.				
1 10.		t two components of a behavioural managemen	_	<del>-</del>
	(1)	Environmental and personal	(2)	Communicative and interactive
	(3)	Environmental and family	(4)	Personal and family
119.		w do you define minimal assistance?	_	_
	(1)	Client requires more than 75% physical or ve		
	(2)	Client requires caregiver or someone to prov		
	(3)	Client requires physical or verbal assistance	for 5	1% to 75% of an activity by one person
	(4)	Client requires 25% physical or verbal assist	ance	of one person to complete a task safely





120.	Whi	ch is not a stage of grief reaction?		
	(1)	Depression	(2)	Anxiety
	(3)	Acceptance	(4)	Bargaining
121.	Jebs	en-Taylor hand function test is used for assess	sing -	
	(1)	Hand function in Cerebral palsy	(2)	Hand function in Stroke
	(3)	Hand function in Traumatic brain injury	(4)	Hand function in rheumatoid arthritis
122.	MM	ISE examination is used for evaluation of -		Thought
	(1)	Cognition	(2)	
	(3)	Mood and affect	(4)	Insight CO
123.	Whi	ch of the following is not a health determinan	t (Otta	awa Charter, 1986)?
	(1)	Peace	(2)	Sustainable resources
	(3)	Vibrant Ecosystem	(4)	Shelter
124.	Whi	ch of the following IQ Level is defined as sup	erior?	?
	(1)	130 and above	(2)	120-129
	(3)	110-129	(4)	85-109
125.	Effe	ective upright control depends on all of the follower	lowing	g automatic postural reactions, except -
	(1)	Ankle strategies to maintain the centre of ma	ss ove	er the base of support
	(2)	Hip strategies are used to maintain or restore	equil	ibrium III
	(3)	Knee strategy to maintain erect posture		
	(4)	Stepping strategy which results in movemen	nt of t	he base of support towards the centre of mass
		movement		
126.	Ang	gulation of deformities is measured by -	; ·	· .
	(1)	Kinetograph	(2)	Goniometer
	(3)	Manometer	(4)	Angulometer
127.		abilitation Council of India -		
	(1)	Enforces uniform training of rehab	(2)	Maintenance of central rehabilitation register
	(3)	professionals  Both of the above	(4)	None of the above
128.		owing are advantages of community based rel	11	ration except
	(1)	Participation of patient and family	(2)	Economically viable
	(3)	Ideal for rural population	(4)	Presence of complete rehabilitation team
129.		at is Dupuytren's contracture?		
	(1)	Flexor deformity of ring and little finger	(2)	Occurs because of fibrosis of palmar
	(3)	Both 1 and 2	(4)	aponeurosis None of the above
130.		ich is not a basic sense?		Tions of the above
	(1)	Touch	(2)	Seeing
404	(3)	Speech	(4)	Hearing
131.	1 1	ES stands for -	(0)	
	(1)	Flexible Endoscopic Evaluation of Swallowing	(2)	Fiberoptic Endoscopic Evaluation of Swallowing
	(3)	Functional Endoscopic Evaluation of	(4)	None of the above
	\-J	Swallowing	• •	TIONS OF MICHOLD





143.	43. In the American Spinal Injury Association (ASIA) examination, the C6 myotome correlates wi muscle group?			mination, the C6 myotome correlates with what
	(1)	Long finger flexor	(2)	Elbow flexor
	(3)	Elbow extensor	(4)	Wrist extensor
144.	Whi	ch of the following definitions is best	used to diagn	ose Cerebral palsy?
	(1)	A group of permanent disorders of	the developm	ent of movement and posture, causing activity that occurred in the developing fetal or infant
	(2)	<del>-</del>		ent of movement and posture, causing activity es that occurred in the developing fetal or infant
	(3)	A group of permanent disorders of	_	ent of movement and posture, causing activity ces that occurred in the brain after birth
	(4)		_	ent of movement and posture, causing activity es that occurred in the developing fetal or infant
145.	Oral	l antispastic medication that works at s	skeletal musc	le level -
	(1)	Diazepam	(2)	Dantrolene sodium
	(3)	Tizanidine	(4)	Baclofen
146.	Dyn	amic stabilizer of shoulder joint term	is used for -	
	(1)	Coracohumeral ligament	(2)	Glenohumeral ligament
	(3)	Rotator cuff	(4)	Glenoid labrum
147.	Seq	•		elow. Which of the following is correct?
	(1)	-	_	part u, part
	(2)	Glucose - Triose Phosphate - Hexose	-	1546.5
		Glucose - 3 phospho glyceraldehyde		
440	(4) -	Glucose - Hexose Phosphate - Triose	_	Lactate
148.	•	piratory rhythm generation cente <mark>r is</mark> lo		
		Dorsal respiratory group	(2)	Pre botzinger complex
1/0		Ventral respiratory neuron	(4)	Pneumatic center
175.		of the following <mark>are clinical mani</mark> fest <mark>a</mark> Poor hand writing		
	(3)	Impaired verbal memory		Decline in gross motor function  Lack of visuo-motor co-ordination
150.		ich of the following is the correct met		
	(1)			owly through the nose for a count of two!purse
		the lips as if to whistle, exhale rapidl	y to a count of	of 4 through pursed lips
	(2)	the lips as if to whistle, exhale slowly	y, to a count of	_ <u> </u>
	(3)	the lips as if to whistle, exhale slowly	y to a count o	
	(4)	Relax your neck and shoulder musc the lips as if to whistle, exhale rapidle		wly through the nose for a count of two, purse en lips





100135

Space for Rough Work



