



**DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO**

T.B.C. : ASCO-IV(ii)-24/25

Sl. No. **21261**

**TEST BOOKLET**

Test Booklet Series

**ASSISTANT SOIL CONSERVATION OFFICER  
(HORTICULTURE)  
(PAPER - II)**

**A**

**K-47**

**Time Allowed : 1½ Hr.**

**Maximum Marks : 100**

**INSTRUCTIONS TO CANDIDATES**

1. IMMEDIATELY AFTER COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF SAME SERIES ISSUED TO YOU.
2. ENCODE CLEARLY THE TEST BOOKLET SERIES **A, B, C** OR **D**, AS THE CASE MAY BE, IN THE APPROPRIATE PLACE IN THE ANSWER SHEET USING BALL POINT PEN (BLUE OR BLACK).
3. You have to enter your **Roll No.** on the Test Booklet in the Box provided along side. **DO NOT** write *anything else* on the Test Booklet.
4. **YOU ARE REQUIRED TO FILL UP & DARKEN ROLL NO., TEST BOOKLET / QUESTION BOOKLET SERIES IN THE ANSWER SHEET AS WELL AS FILL UP TEST BOOKLET / QUESTION BOOKLET SERIES AND SERIAL NO. AND ANSWER SHEET SERIAL NO. IN THE ATTENDANCE SHEET CAREFULLY. WRONGLY FILLED UP ANSWER SHEETS ARE LIABLE FOR REJECTION AT THE RISK OF THE CANDIDATE.**
5. This Test Booklet contains **100** items (questions). Each item (question) comprises four responses (answers). You have to select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), you should mark (darken) the response (answer) which you consider the best. In any case, choose **ONLY ONE** response (answer) for each item (question).
6. You have to mark (darken) all your responses **ONLY** on the **separate Answer Sheet** provided, by using **BALL POINT PEN (BLUE OR BLACK)**. See instructions in the Answer Sheet.
7. All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked by you in the Answer Sheet.
8. Before you proceed to mark (darken) in the Answer Sheet the responses to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per instructions sent to you with your **Admission Certificate**.
9. After you have completed filling in all your responses on the Answer Sheet and after conclusion of the examination, you should hand over to the Invigilator the *Answer Sheet* issued to you. You are allowed to take with you the candidate's copy / second page of the Answer Sheet along with the **Test Booklet**, after completion of the examination, for your reference.
10. Sheets for rough work are appended in the Test Booklet at the end.

**DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO**





# Test Prime

**ALL EXAMS,  
ONE SUBSCRIPTION**



**70,000+**  
Mock Tests



**Personalised  
Report Card**



**Unlimited  
Re-Attempt**



**600+**  
Exam Covered



**Previous Year  
Papers**



**500%**  
Refund



**ATTEMPT FREE MOCK NOW**

1. Sexual propagation is through
  - (A) Seeds
  - (B) Cuttings
  - (C) Budding
  - (D) Grafting
  
2. Viviparous type of germination is noticed in
  - (A) Chow chow
  - (B) Papaya
  - (C) Jackfruit
  - (D) All the above
  
3. Presence of life in embryo of seeds is known as
  - (A) Seed longevity
  - (B) Seed viability
  - (C) Seed quality
  - (D) Seed vigour
  
4. In tetrazolium test, a viable seed takes \_\_\_\_\_ colour.
  - (A) Yellow
  - (B) Green
  - (C) Pink/Red
  - (D) Blue
  
5. Which among the following crops is commercially propagated through seeds?
  - (A) Papaya
  - (B) Pineapple
  - (C) Grapes
  - (D) Banana
  
6. \_\_\_\_\_ is the major and serious disease affecting vegetable seedlings in nursery stage.
  - (A) Leaf blight
  - (B) Leaf spot
  - (C) Leaf rust
  - (D) Damping-off
  
7. \_\_\_\_\_ enhances rooting of cuttings of horticultural crops.
  - (A) Cytokinin
  - (B) Indole Butyric Acid (IBA)
  - (C) Gibberellic Acid
  - (D) Ethylene
  
8. Mango is commercially propagated by
  - (A) Seeds
  - (B) Budding
  - (C) Approach/Inarch grafting
  - (D) Ground layering

9. Bridge grafting is mainly practiced for the purpose of
- (A) To rectify any mechanical injury to the bark of trunks
  - (B) To rejuvenate old fruit trees
  - (C) To convert sex of the fruit trees
  - (D) To avoid alternate bearing
10. For budding, the bud wood should be of \_\_\_\_\_.
- (A) Plumpy and well developed
  - (B) Free from pest and diseases
  - (C) Should be collected from well matured past season's growth
  - (D) All the above
11. Which one is phosphatic biofertilizer?
- (A) VAM
  - (B) Azospirillum
  - (C) Azolla
  - (D) Rhizobium
12. Coffee, tea, cardamom, pepper, orange, pineapple are extensively grown in \_\_\_\_\_ agro-climatic region of India.
- (A) Temperate northern region
  - (B) North western arid region
  - (C) South hilly zone
  - (D) South central tropical region
13. How many agro-climatic zones are in Odisha?
- (A) 7
  - (B) 10
  - (C) 15
  - (D) 5
14. Fertigation refers to
- (A) Application of fertilizers along with irrigation water
  - (B) Application of fungicides along with irrigation water
  - (C) Application of insecticides along with irrigation water
  - (D) Application of water through drip irrigation
15. Characteristics of sandy soil
- (A) Coarse texture
  - (B) Have large pore space
  - (C) Poor water holding capacity
  - (D) All the above
16. The particle size (diameter) of silt is
- (A)  $<0.002$
  - (B)  $0.002$  to  $0.02$
  - (C)  $0.02$  to  $0.2$
  - (D)  $>0.2$



17. \_\_\_\_\_ is the micronutrient, deficient in alkali soils, but is unavailable in very acid soils.
- (A) Zinc  
(B) Iron  
(C) Copper  
(D) Boron
18. Club root disease of cabbage is more prevalent in \_\_\_\_\_ soils.
- (A) Alkaline  
(B) Calcareous  
(C) Acidic  
(D) Sodic
19. Soil depth should be \_\_\_\_\_ for most of the perennial fruit crops for normal growth and development.
- (A) 1 m  
(B) 10 m  
(C) 5 m  
(D) 2 m
20. In a teaspoon of soil, \_\_\_\_\_ microbes are estimated.
- (A) 1.0 million  
(B) 1000 million  
(C) 2000 million  
(D) 10 million
21. \_\_\_\_\_ fixes nitrogen in soil through leguminous crops.
- (A) VAM  
(B) Azospirillum  
(C) Azolla  
(D) Rhizobium
22. Which is not a category of horticultural plants based on their tolerance to atmospheric relative humidity?
- (A) Humid  
(B) Semi- arid  
(C) Arid  
(D) Tropical
23. Air pollution causes \_\_\_\_\_ disorder in mango.
- (A) Spongy tissue  
(B) Black tip  
(C) Malformation  
(D) Jhumka
24. \_\_\_\_\_ is the excreta of sea bird, used as manure.
- (A) Guana  
(B) Leaf mould  
(C) Night soil  
(D) Wood ash

25. Night soil is rich source of
- (A) Phosphorus
  - (B) Potassium
  - (C) Calcium
  - (D) Nitrogen
26. The nitrogen content of urea is
- (A) 46%
  - (B) 26%
  - (C) 33%
  - (D) 16%
27. Which of the statements are true?
- 1) Nitrogen is required throughout the crop growth
  - 2) Phosphorus is required in large amounts in early stages of the growth
- (A) 1 alone
  - (B) 2 alone
  - (C) Both 1 & 2
  - (D) None
28. The frequency of irrigation is determined by
- (A) The nature of soil
  - (B) Rate of absorption by plants
  - (C) Root system of the crop
  - (D) All the above
29. Which is not the advantage of drip irrigation?
- (A) Water saving
  - (B) Labour saving
  - (C) Excess weed growth
  - (D) Nutrient saving
30. Overhead method of irrigation is \_\_\_\_\_.
- (A) Sprinkler
  - (B) Ring
  - (C) Flooding
  - (D) Bed
31. Annual average rainfall requirement of mango is
- (A) 25 to 250 cm
  - (B) 15 to 25 cm
  - (C) 300 to 350 cm
  - (D) 400-450 cm
32. The water requirement of coconut through drip irrigation is \_\_\_\_\_ lit./day/palm
- (A) 30 to 75
  - (B) 100 to 125
  - (C) 150 to 200
  - (D) 10 to 25

33. The annual average rainfall of Odisha is \_\_\_\_\_.
- (A) 1000 mm  
(B) 2000 mm  
(C) 500 mm  
(D) 1500 mm
34. Which soil type has the highest area coverage in Odisha?
- (A) Black soil  
(B) Alluvial soil  
(C) Red soil  
(D) Laterite
35. Main aim of Participatory Rural Appraisal is
- (A) To know about the village  
(B) To get a subsidy  
(C) To study the science  
(D) To find the leader
36. Interaction between two people is called as
- (A) Intrapersonal communication  
(B) Interpersonal communication  
(C) Two communication  
(D) One way communication
37. The vetiverol content of vetiver oil is
- (A) 65-75%  
(B) 5-10 %  
(C) 1-2%  
(D) 90-95%
38. The oil extracted from Clocimum is \_\_\_\_\_ scented.
- (A) Rose  
(B) Clove  
(C) Geranium  
(D) Lemon grass
39. Patchouli is propagated by
- (A) Cuttings  
(B) Seeds  
(C) Bulbs  
(D) Rhizomes
40. Kiran is the variety of \_\_\_\_\_.
- (A) Japanese mint  
(B) Spear mint  
(C) Pepper mint  
(D) Bergamot mint

41. The economic part of Rauvolfia is
- (A) Leaves
  - (B) Roots
  - (C) Flowers
  - (D) Seeds
42. Niharika is the variety of
- (A) Withania
  - (B) Periwinkle
  - (C) Isabgol
  - (D) Rauvolfia
43. The anti-cancer drugs of periwinkle is
- (A) Vinblastine
  - (B) Withanine
  - (C) Morphine
  - (D) Serpentine
44. Belladonna belongs to the botanical family
- (A) Apocyanaceae
  - (B) Plantaginaceae
  - (C) Leguminaceae
  - (D) Solanaceae
45. CIMAP is located at
- (A) Chennai
  - (B) Mumbai
  - (C) Lucknow
  - (D) New Delhi
46. \_\_\_\_\_ variety of rosemary is resistant to leaf blight and white flies.
- (A) KKL 1
  - (B) Ooty 1
  - (C) CIM-Samruthi
  - (D) Nirmal
47. The commercial method of propagation of citronella grass is
- (A) Rooted slips
  - (B) Seeds
  - (C) Rhizomes
  - (D) Crown
48. Rusa is the essential oil obtained from
- (A) Palmarosa grass
  - (B) Citronella grass
  - (C) Vettiver grass
  - (D) Lemon grass



49. The lemon grass variety, Pragathi is released from
- (A) NRC for Medicinal and aromatic plants, Gujarat
  - (B) RRL, Jammu
  - (C) TNAU, Coimbatore
  - (D) CIMAP, Lucknow
50. Which among the crops, does not set the seeds under Indian conditions?
- (A) Lemon grass
  - (B) Geranium
  - (C) Withania
  - (D) Periwinkle
51. Home gardens found in tropics are one of the classic example of
- (A) Agrisilvicultural systems
  - (B) Silvopastoral systems
  - (C) Agrosilvopastoral systems
  - (D) Apiculture with trees
52. The practice of forestry in and around the farms/village lands is called as
- (A) Social forestry
  - (B) Farm forestry
  - (C) Community forestry
  - (D) Joint forest management
53. Shifting cultivation is most prevalent in
- (A) North East India
  - (B) Eastern part of India
  - (C) Northern part of India
  - (D) Western India
54. Which social forestry programme is purely managed by private efforts?
- (A) Farm forestry
  - (B) Community forestry
  - (C) Rehabilitation of degraded forest area
  - (D) Urban forestry
55. Protein bank is a sub system of
- (A) Agrisilviculture
  - (B) Silvopastoral
  - (C) Agri Horti
  - (D) Agrisilvipastoral
56. The first Taungya plantation was established in
- (A) Maharashtra
  - (B) Gujarat
  - (C) North Bengal
  - (D) Rajasthan

57. In order to get maximum net return from agroforestry we have to
- (A) Choose suitable tree species
  - (B) Choose high yielding agricultural crops
  - (C) Plant clonally propagated tree seedlings
  - (D) Adopt suitable tree crop combination
58. Planting of forest trees in agroforestry systems (Pick the odd out)
- (A) Reduces temperature
  - (B) Reduces evaporation
  - (C) Increases irrigation requirement
  - (D) Increases humidity
59. Social forestry project Phase 1 was launched in the year
- (A) 1981
  - (B) 1982
  - (C) 1983
  - (D) 1984
60. \_\_\_\_\_ is the practice of forestry in areas devoid of tree growth and other vegetation situated in places away from the conventional forest areas.
- (A) Farm forestry
  - (B) Extension forestry
  - (C) Recreational forestry
  - (D) Protection forestry
61. The most commonly found agroforestry system in Kerala is
- (A) Alley cropping
  - (B) Multispecies tree garden
  - (C) Protein bank
  - (D) Home garden
62. Alley cropping is also known as
- (A) Hedge row intercropping
  - (B) Woody hedges
  - (C) Wood lots
  - (D) Soil conservation hedges
63. When the use of land is directed towards satisfying basic needs and is managed by the owner is said to be
- (A) Commercial Agroforestry systems
  - (B) Intermediate Agroforestry systems
  - (C) Subsistence Agroforestry systems
  - (D) Highland Agroforestry system
64. Planting nectar producing trees on the boundary of agricultural field is called as
- (A) Apiculture with trees
  - (B) Aquaforestry
  - (C) Multipurpose wood lots
  - (D) Woody Hedgerows

65. Energy plantation is established for
- (A) Pulp wood production
  - (B) Fuel wood production
  - (C) Soil Conservation
  - (D) Wind break
66. Characteristics of multipurpose tree suitable for agroforestry is
- (A) High adaptability
  - (B) Nitrogen fixing
  - (C) Coppicing ability
  - (D) All the above
67. In Southern India, the taungya system is called as
- (A) Kumri
  - (B) Jhum
  - (C) Podu
  - (D) Dao or axe and fire
68. The ratio of height and width roughly in shelter-belt
- (A) 1:10
  - (B) 1:15
  - (C) 1:20
  - (D) 1:25
69. Integration of trees with grasses is known as
- (A) Apiculture
  - (B) Silviculture
  - (C) Aquaforestry
  - (D) Multipurpose wood lots
70. The seed rate for broadcasting method for opium poppy is
- (A) 8 kg
  - (B) 1 kg
  - (C) 20 kg
  - (D) 25 kg
71. In which of the following cases, there is movement along the same supply curve
- (A) Contraction of supply
  - (B) Decrease in supply
  - (C) Increase in supply
  - (D) None
72. The total quantity of goods that was actually can be offered for sale at a certain price is
- (A) Supply
  - (B) Stock
  - (C) Demand
  - (D) Price



73. As per Law of Demand, the relationship between quantity demanded and price is
- (A) Inverse
  - (B) Direct
  - (C) Independent
  - (D) None
74. In case of perfectly elastic, the demand curve is
- (A) Concave
  - (B) Convex
  - (C) Parallel to x-axis
  - (D) Parallel to y-axis
75. \_\_\_\_\_ refers to cost incurred in production of one unit of output.
- (A) Cost of Production
  - (B) Cost of Cultivation
  - (C) Marginal Cost
  - (D) Total Revenue
76. \_\_\_\_\_ is that quantity of the produce which the producer actually sells in the market irrespective of his requirements.
- (A) Producer's surplus
  - (B) Marketed surplus
  - (C) Marketable surplus
  - (D) None of the above
77. The determination of the basic limits on grades or the establishment of model processes and methods of producing, handling and selling goods and services is called as \_\_\_\_\_.
- (A) Grading
  - (B) Standardization
  - (C) Labeling
  - (D) Warehouse
78. Which of the marketing function creates time utility to commodities/products?
- (A) Storage
  - (B) Processing
  - (C) Transportation
  - (D) Grading
79. In which of following cases, demand curves shifts towards right side?
- (A) Extension of demand
  - (B) Contraction of demand
  - (C) Increasing demand
  - (D) Decreasing demand

80. Trap crop used for managing diamond back moth in cruciferous vegetables is
- (A) Tomato
  - (B) Carrot
  - (C) Chilli
  - (D) Mustard
81. The major disease affecting chilli during storage is
- (A) Leaf spot
  - (B) Leaf blight
  - (C) Anthracnose
  - (D) Rust
82. The vector for transmission of Yellow vein mosaic virus disease of bhendi is \_\_\_\_\_.
- (A) Aphis
  - (B) Mites
  - (C) Thrips
  - (D) White flies
83. Spongy tissue is the major disorder of \_\_\_\_\_.
- (A) Mango
  - (B) Banana
  - (C) Guava
  - (D) Sapota
84. Hen and chicken disorder is related to
- (A) Mango
  - (B) Grapes
  - (C) Guava
  - (D) Sapota
85. Bitter pit of apple is due to deficiency of \_\_\_\_\_.
- (A) Iron
  - (B) Nitrogen
  - (C) Zinc
  - (D) Calcium

86. Whiptail disorder of cauliflower is due to
- (A) Nitrogen deficiency
  - (B) Boron deficiency
  - (C) Molybdenum deficiency
  - (D) Manganese deficiency
87. Cherehi wilt is serious disease/disorder of
- (A) Coconut
  - (B) Cocoa
  - (C) Cashew
  - (D) Rubber
88. Ladybird beetle is used to manage
- (A) Sucking pests
  - (B) Defoliating insects
  - (C) Borers
  - (D) Sucking pests and Defoliating insects
89. Kattae disease of cardamom is spread by
- (A) *Pentalonia nigronervosa*
  - (B) *Bemisia tabaci*
  - (C) *Aphis spp.*
  - (D) *Thrips tabaci*
90. Quick wilt of black pepper is caused by
- (A) *Phytophthora capsici*
  - (B) *Pythium aphanidermatum*
  - (C) *Fusarium sp*
  - (D) *Rhizoctonia sp*
91. Scientific name of root knot nematode is
- (A) *Xiphinema index*
  - (B) *Meloidogyne incognita*
  - (C) *Radopholus similis*
  - (D) *Aphelenoides sp*
92. Rhizoceros beetle infests
- (A) Coconut
  - (B) Cocoa
  - (C) Cashew
  - (D) Rubber
93. In okra hybrid seed production the ratio of female to male parent lines is
- (A) 10:1
  - (B) 50:1
  - (C) 1:1
  - (D) 4:1



94. \_\_\_\_\_ is the designated disease in cabbage seed production.
- (A) Black leg  
(B) Black rot  
(C) Soft rot  
(D) All the above
95. PPVFRA was enacted during \_\_\_\_\_.
- (A) 1966  
(B) 2001  
(C) 1983  
(D) 2002
96. The source of contamination seed production of vegetable crops is \_\_\_\_\_.
- (A) Volunteer plants  
(B) Rogue  
(C) Pollen shedders  
(D) All the above
97. The highest seed replacement rate in India is in \_\_\_\_\_.
- (A) Bhendi  
(B) Tomato  
(C) Cabbage  
(D) Chilli
98. Which of the following is a part of Western Himalayan Region?
- (A) Assam  
(B) Bihar  
(C) Sikkim  
(D) Himachal Pradesh
99. Which region of India is known for its high population density with a per capita land availability of just 0.095 hectares?
- (A) Trans Gangetic Plains  
(B) Upper Gangetic Plains  
(C) Middle Gangetic Plains  
(D) Lower Gangetic Plains
100. \_\_\_\_\_ affects seed longevity.
- (A) Relative humidity  
(B) Temperature  
(C) Seed moisture content  
(D) All the above

**SPACE FOR ROUGH WORK**





SPACE FOR ROUGH WORK

